# The Physics of Metals and Metallography

# ФИЗИКА МЕТАЛЛОВ и МЕТАЛЛОВЕДЕНИЕ

VOL
48
197

VOLUME 48 SUBJECT AND AUTHOR INDEX 1979

# The Physics of Metals and Metallography

# ФИЗИКА МЕТАЛЛОВ и МЕТАЛЛОВЕДЕНИЕ

VOL
48
197

VOLUME 48 SUBJECT AND AUTHOR INDEX 1979

# SUBJECT INDEX

***Bold figures indicate the issue***


**Acoustic** strengthening, influence of temperature and the purity of a material on – **3**, 161
**Adsorption** of phosphorus on austenite grain boundaries and tendency of quenched steel to delayed rupture **6**, 120
– thermodynamics on grain boundaries in the system copper–gold **6**, 75
**Ageing** of alloy A124M and Al–3·5% Zn–4% Mg **6**, 66
– of alloy Al–2·8 wt.% Li in an ultrasonic field. Peculiarities of the precipitation process **5**, 53
– , step, on creep of cast alloy AL27. Influence of ultrasonic exposure during – **1**, 146
– , structure formation during annealing of deformed alloys in which an ordered $Ni_3Al$ phase is precipitated during – **6**, 95
**Alloy** Al24M and Al–3·5% Zn–4% Mg. The ageing of – **6**, 66
– , AL27, influence of ultrasonic exposure during step ageing on creep of cast – **1**, 146
– Al–2·8 wt.% Li in an ultrasonic field. Ageing of – . Peculiarities of the precipitation process **5**, 53
– , Al–Zn–Mg, influence of plastic deformation on structure transformations and mechanical properties of – **3**, 109
– $Au_3Cd$, order–disorder phase transition – **6**, 82
– , copper–beryllium. Volume changes in a – **2**, 197
– Fe–Al–C, Mössbauer study of the austenite of – **5**, 63
– , $Fe_5Co_{70}Si_{15}B_{10}$, amorphous, influence of crystallization on the magnetic properties of the – **6**, 33
– Fe–23·1% Ni. Variations of structure and composition during the $\alpha \rightarrow \gamma$ transformation in – . II, Influence of plastic deformaton of martensite **3**, 73
– Fe–Ni–V–C after reversed $\alpha \rightarrow \gamma$ transformation. Influence of prior deformation on the structure nad properties of – **2**, 135
– $Fe_{25}Pd_{50}Au_{25}$. Influence of atomic ordering on the magnetic properties and resistivity of the – **3**, 38
– FePt, influence of plastic deformation on structure features and magnetic properties of – **6**, 47
– 40KKhNM, structure transformation during deformation and tempering of – **1**, 92
– , mono- and polycrystalline $Ni_3Fe$. Influence of degree of long-range order on work hardening of – **3**, 138
– Mo–Zr–B after high-temperature neutron irradiation. Porosity and mechanical properties of –. I. Features of void formation **4**, 135

– Mo–Zr–B after high-temperature neutron irradiation. Porosity and mechanical properties of – . II. Dependence of strengthening and embrittlement of the size and density of voids **5,** 118
– NiPt, electron diffraction investigation of short-range order in – **4,** 167
– 40NKM after different thermomechanical treatment. Characteristics of the extra magnetic noise of specimens of – **5,** 164
– $Sm/Co_{0\cdot65}Cu_{0\cdot35/5\cdot6}$. Crystal geometry of cast high-coercivity – **6,** 178
– Sm–Co–Cu–Fe–Zr during low-temperature treatment. Reversible changes of coercive force and on the structural state of – **5,** 17
– , titanium, by thermomechanical treatment. Investigation of the strengthening of a high-duty – **1,** 115
– VKh4, chromium–nickel, investigation of the mechanism of deformation and rupture of the two-phase – **3,** 116
– , zirconium, with 2·5% niobium during annealing after cycles of heat treatment. Transformation of a weld of a – **5,** 175

**Alloyed** steels, investigation of the structural peculiarities of the low tempered martensite of – . **2,** 113

**Alloys**, Al–Cu, in mean *t*-matrix approximation. Electron energy spectrum of disordered substitutional – **4,** 1
– , Al–Ge, Superelasticity of – **6,** 138
– Al–Ni–Co and Al–Ni–Si. Analysis of the mechanical properties of directionally crystallized ternary – **5,** 130
– , arsenic–antimony, magneto-thermo e.m.f. of – **3,** 186
– , chromium–nickel and chromium–vanadium, magnetic properties of – **6,** 27
– , cobalt–palladium, transfer phenomena in – **1,** 26
– , copper–aluminium–nickel, $\omega$-phase formation in – **4,** 178
– , copper–aluminium, with addition of nickel and manganese. Reversible shape change in – **4,** 110
– , Cu–Al–Mn, influence of the partial decomposition of the $\beta$ phase on the magnetic properties and martensitic transformation point of – **6,** 169
– , deformed, in which an ordered $Ni_3Al$ phase is precipitated during ageing. Structure formation during annealing of deformed – **6,** 95
– , Fe–Al, texture formation in – **6,** 159
– , $^{57}$Fe-based, nuclear magnetic resonance in films of dilute – **5,** 200
– Fe–Cr–Co and Fe–Cr–Co–Mo. Magnetic properties of single crystals of – **4,** 72
– , Fe–30% Ni–C, stacking fault energy of austenite in – **6,** 128
– , Fe–Ni–Co–Ti, shape memory effect in – **6,** 162
– , Fe–Ni–Ti, cellular decomposition in undeformed – **2,** 128
– Fe–3% Si, varying in thickness, with sulphur inhibitors. Perfection of the crystallographic texture in – **1,** 164
– , holmium and holmium–samarium, at low temperatures. Peculiarities of the Hall effect in – **5,** 196
– , iron and iron–nickel, after polymorphic transformation under pressure. $\alpha$ Phase structure of – **5,** 77
– , iron, cobalt and nickel. High-temperature magnetic susceptibility and electron structure of – **4,** 51

– , iron–manganese, peculiarities of the crystal structure of the $\alpha$ martensite of – 5, 43
– , iron–nickel–chromium, microhardness and heat capacity of – 2, 192
– , iron–nickel, concerning the mechanism of "slow" $\alpha \rightarrow \gamma$ transformation in – 3, 84
– , iron–nickel, ordering of – 5, 67
– , metals and, amplitude dependence of internal friction of polycrystals of – 1, 134
– $Mn_{1-c}Fe_cPt_3$. Concerning the magnetic structure of disordered solid solutions of *d* transition metals with opposite exchange on the example of – 4, 76
– , Ni–Fe–Al, with B2 lattice. Atomic distribution in ternary – 2, 176
– of transition metals with aluminium. Investigation of the electron states of the conduction band in – 5, 161
– , palladium–silver. High-temperature kinetic properties of – 3, 19
– $PdFe_{1-x}Cr_x$, resistivity of ordering – 4, 184
– , rare-earth, of systems Er–Td and Gd–Tb in the range 4·2 to 330°K. Elastic modulus, $\Delta E$ effect and internal friction of some – 1, 155
– , sodium with gallium. Magnetic susceptibility and electrical conductivity of – 5, 22
– , terbium and gadolinium–terbium. Nuclear magnetic resonance in thin filns of – 2, 190
– , terbium–gadolinium, thermal expansion of – 1, 186
– , Ti–Al–Sn and Ti–Al–V, characteristics of low-temperature plastic deformation and fracture of – 3, 121
– , Ti–Mn and Ti–Mo, diffuse X-ray and electron scattering investigation of the fine crystalline structure of the solid solutions of – 2, 89
– , Ti–Nb, exposed to shock waves. Phase transformation in – 1, 181
– , titanium, peculiarities of the plate structure of low-alloy pseudoalpha – 3, 94
– , transition metal, concerning the tempearture anomalies of the resistivity of – 3, 192
– with long- and short-range order. A new method of calculating the electron structure of – 2, 188
– , zirconium, jnvestigation of the temperature dependence of the nuclear gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in – 5, 12
– , Zn–Al, fine grain, low-temperature mechanical properties of – 3, 145
**Aluminium** in iron. Mutual diffusion in an $\alpha$ solid solutions of – 2, 98
– , investigation of the electron states of the conduction band in alloys of transition metals with – 5, 161
– , single crystals of, topographic X-ray study of plastically deformed – 4, 150
– , special grain boundaries in the equilibrium structure of polycrystalline – 5, 84
– , superelasticity of, influence of impurities on the – 1, 160
– , the possibility of a non-vacancy mechanism of boundary diffusion of zinc in – 4, 189
**Analysis** of the mechanical properties of directionally crystallized ternary alloys Al–Ni–Co and Al–Ni–Si 5, 130
– , symmetrical, of magnetic structures. The single representation concept 6, 10
**Angular** glissile dislocation in isotropic crystals. On the possibility of – 4, 130
**Anisotropy,** magnetic, of Co–Gd films. Investigation of the – 2, 184
– of spontaneous magnetization of some dompounds of rare-earth and 3*d* transition metals 3, 44
**Annealing** after cycles of heat treatment. Transformation of a weld of a zirconium alloy with 2·5% niobium during – 5, 175

– in a high-voltage electron microscope. Recrystallization of high-purity copper during – 2, 121
– of deformed alloys in which an ordered $Ni_3Al$ phase is precipitated during ageing. Structure formation during – 6, 95
– treatment, Mössbauer analysis of the atomic structure of cold rolled transformer steel after decarburization – 3, 189
**Anomalies,** temperature, of the resistivity of transition metal alloys. Concerning the – 3, 192
**Antimony,** internal friction in, influence of high-amplitude ultrasonic vibrations on low-temperature dislocation – 1, 142
**Arsenic** in nickel, volume diffusion of – 5, 193
**Atom** complexes, growth of a dislocation loop on formation of mobile point defect–impurity – 1, 81
**Atomic** displacement round an impurity and many-partcle interactions in metals 4, 181
– distribution in ternary Ni–Fe–Al alloys with B2 lattice 2, 176
– ordering on the magnetic properties and resistivity of the alloy $Fe_{25}Pd_{50}Au_{25}$. Influence of – 3, 38
– structure of cold rolled transformer steel after decarburization annealing treatment. Mössbauer analysis of the – 3, 189
**Atoms** in irregular positions. Resistance to superdislocation motion to – 2, 142
**Austenite** grain boundaries and tendency of quenched steel to delayed rupture. Adsorption of phosphorus on – 6, 120
– in a case-hardened steel. Influence of a magnetic field on the transformation of retained – 5, 167
– in Fe–30% Ni–C. Stacking fault energy of – 6, 128
– of alloy Fe–Al–C. Mössbauer study of the – 5, 63
– on the mechanical properties of transition class steels. Production, stability and influence of – 1, 150
– retained in engineering steel. Structure of packet martensite and localization of – 4, 113
**Austenite-martensite** steel during plastic deformation. On the mutual influence of phases on structure changes in an – 5, 38
**Austenitic** metastable, steels. Contribution of the martensitic transformation during deformation to the plasticity of – 5, 142
**Autoradiography** study of hydrogen self-diffusion in zirconium hydride 2, 103

**B.c.c.** single crystals. Features of the dislocation structure of block boundaries in – 1, 121
**Beryllium** at 77 K. Influence of the size factor on the electrical conductivity of – 4, 192
– bronze, phase and structural transformations during thermomechanical treatment of – 3, 105
– , cobalt diffusion in – 4, 170
– diffusion in titanium 3, 182
**Bicrystals,** niobium, a study of the toughness of – 6, 167
**Boundaries,** magnetic domain, influence of a demagnetizing field on the mobility of – 4, 186
**Boundary** diffusion of zinc in aluminium. The possibility of a non-vacancy mechanism of – 4, 189
**Brass,** $\beta$, as a function of the composition and degree of long-range order. Pseudopotential calculation of the phonon spectrum in – 2, 1

– type $\beta$. On the nature of the shear instability of Hume–Rothery electron compounds of the – . I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition 4, 19
**Bronze,** beryllium, phase and structural transformations during thermomechanical treatment of – 3, 105

**Calculation** of equations of state of metals 1, 171
– of the constant diffusion coefficients in a multicomponent system 1, 192
– , pseudopotential, of the phonon spectrum in $\beta$ brass as a function of the composition and degree of long-range order 2, 1
**Case-hardened** steel, influence of a magnetic field on the transformation of retained austenite in a – 5, 167
**Cementite** during decomposition of high-carbon martensite. Crystalgeometrical features of the precipitation of – 3, 66
**Changes,** reversible, of coercive force and on the structural state of alloy Sm–Co–Cu–Fe–Zr during low-temperature treatment 5, 17
– , structural, during strength tests of directionally crystallized eutectic Al–$CuAl_2$ 3, 90
– , volume, in a copper–beryllium alloy 2, 197
**Chromium,** nuclear magnetic resonance in compounds $LaNi_5$–H containing small additions of – 5, 183
**Coalescence** of particles of titanium, silicon, and iron oxides in a copper matrix. Structure and – 1, 74
**Cobalt** deformed in the pre-transition range of temperature. Microstructural peculiarities of – 6, 148
– diffusion in beryllium 4, 170
– influencing the solubility of Laves phase $Fe_2Mo$ in maraging steel 2, 48
**Composite,** eutectic Ni–NbC. Influence of composition and conditions of crystallization on the microstructure and strength of a – 2, 76
– , superconductive, in the mixed state. Endurance of a – 6, 151
**Composites,** layer, peculiarities of the low-temperature creep of – 3, 152
**Composition** and conditions of crystallization on the microstructure and strength of a eutectic Ni–NbC composite. Influence of – 2, 76
– and degree of long-range order. Pseudopotential calculation of the phonon spectrum in $\beta$ brass as a function of the – 2, 1
**Compound** $CuC_{32}Se_{1-x}Br_x$ ($0{\cdot}1 \leqslant x \leqslant 0{\cdot}6$). Features of the electrical properties of – 1, 167
– $TbFe_2$, magnetoelastic properties of – 5, 169
– $TbFe_2$, with surface plane {111}. Domain structure of monocrystalline plates of – 1, 34
**Compounds** $LaNi_5$–H containing small additions of chromium. Nuclear magnetic resonance in – 5, 183
– , $Nb_3X$, (X=Ga, Os, Ir, Pt, Au) with A15 structure. X-ray $M_{IV,\,V}$-emission bands of niobium in – 6, 155
– of rare-earth and 3*d* transition metals. Anisotropy of spontaneous magnetization of some – 3, 44
– $Sm_{1-x}R_xCo_5$ (R=Y, La, Ce, Nd). Magnetic properties of quasibinary rare-earth – 2, 39
– $V_2Zr$ and $V_2Hf$. Low-tmeperature structure transformation in intermetallic – 6, 108

**Conditions** and composition of crystallization on the microstructure and strength of a eutectic Ni–NbC composite. Influence of – **2,** 76
– under which a void between grains remains stable during diffusion growth in a polycrystal **3,** 157
**Copper,** high-purity, during annealing in a high-voltage electron microscope. Recrystallization of – **2,** 121
– in the range 520–970°C. Peculiarities of collective recrystallization kinetics of – **5,** 159
– , low-temperature extruded, features of the defect structure of – **5,** 89
– matrix, structure and coalescence of particles of titanium, silicon and iron oxides in a – **1,** 74
**Correlation** effects and ferromagnetism **2,** 9
**Crack** nucleation in Fe+3·25% Si with intensive associated glide. Influence of twins on – **2,** 165
**Creep** domains in thin film ferromagnetic tape **1,** 177
– of free electrolytic copper films at room temperature **3,** 172
– of layer composites. Peculiarities of the low-temperature – **3,** 152
**Critical** range of the intermediate transformation in steels based on Fe+3% Cr. Features of the $\gamma \rightarrow \alpha$ transition in the – **1,** 99
– size of fine, magnetically equiaxial ferromagnetic particles. Domain structure and – **4,** 85
**Crystal** geometry of cast high-coercivity alloy $Sm(Co_{0\cdot65}Cu_{0\cdot35})_{5\cdot6}$ **6,** 178
– lattice defects influencing the axial shadow picture **4,** 158
– , single, with radiation damage. Positron annihilation in molybdenum – **2,** 54
– structure of the $\alpha$ martensite of iron–manganese alloys. Peculiarities of the – **5,** 43
– , thermodynamic functions of a, determination of the density of phonon states from the – (molybdenum, tungsten, magnesium, zinc, cadmium) **5,** 5
**Crystalgeometrical** features of the precipitation of cementite during decomposition of high-carbon martensite **3,** 66
**Crystalline,** fine structure, of the solid solutions of Ti–Mn and Ti–Mo alloys. Diffuse X-ray and electron scattering investigation of the – **2,** 89
**Crystallization,** dendritic-cellular. Features of nickel segregation in iron–nickel single crystals during – **3,** 26
– influencing the magnetic properties of the amorphous alloys $Fe_5Co_{70}Si_{15}B_{10}$ **6,** 33
– of eutectic phases in silumin. Peculiarities of the – **5,** 73
– on the microstructure and strength of a eutectic Ni–NbC composite. Influence of composition and conditions of – **2,** 76
**Crystals,** b.c.c. single, features of the dislocation structure of block boundaries in – **1,** 121
– , isotropic, on the possibility of angular glissile dislocation in – **4,** 130
– , microstructural plastic instability of impurity – **2,** 154
– of Fe–3% Si. On the relation between the type of domain structure and dimensions of – **5,** 26
– , silver single, in the range 2–300 K. Temperature dependence of the yield point of – **6,** 142
– , single, during dendritic-cellular crystallization. Features of nickel segregation in iron–nickel – **3,** 26
– , single, of Fe–3% Si. Orientation and structure dependencies of the electromagnetic losses of locally deformed – **3,** 57

– , single, of metals and solid solutions. Microplastic deformation and amplitude dependence of the internal friction of – 6, 175
– , single, on the macroscopic heterogeneity of the plastic deformation of rolled molybdenum – 2, 148
– , single, rolling textures and structures of vanadium – 1, 87
– with strong *s–d* exchange [1]. Magnetic susceptibility of – 4, 195
– , zinc, in range 1·5–300 K. Dependence of flow stress on density of basal dislocations in – 5, 108
– , zinc, investigation of the interaction of basal dislocations with prismatic dislocation loops in – 3, 167

**Decomposition,** cellular, in undeformed metastable Fe–Ni–Ti alloys 2, 128
– of high-carbon martensite. Crystalgeometrical features of the precipitation of cementite during – 3, 66
– , the partial, of the $\beta_1$ phase influencing the magnetic properties and martensitic transformation point of Cu–Al–Mn alloys 6, 169
**Defect** structure of low-temperature extruded copper. Features of the – 5, 89
**Defect–impurity** atom complexes. Growth of a dislocation loop on formation of mobile point – 1, 81
**Defects,** crystal lattice, on the axial shadow picture. Influence of – 4, 158
– , size distribution of, strengthening with allowance for the – 3, 176
**Deformation** and rupture of the two-phase chromium–nickel alloy VKh4. Investigation of the mechanism of – 3, 116
– and tempering of alloy 40KKhNM. Structure transformations during – 1, 92
– , high-temperature, on the structure and properties of isothermally quenched steel. Influence of – 4, 121
– , low-temperature plastic, and fracture of Ti–Al–Sn and Ti–Al–V alloys. Characteristics of – 3, 121
– , microplastic, and amplitude dependence of the internal friction of single crystals of metals and solid solutions 6, 175
– of cylindrical specimens of metastable austenitic steels in tension. Peculiarities of the – 5, 136
– of nickel in a steady magnetic field 5, 188
– on the structure and properties of alloy Fe–Ni–V–C after reverse $\alpha \rightarrow \gamma$ transformation. Influence of prior – 2, 135
– , plastic, on structure features and magnetic properties of alloy FePt. Influence of – 6, 47
– , plastic, on structure transformations and mechanical properties of Al–Zn–Mg alloy. Influence of – 3, 109
– temperature on the dislocation structure and phase composition of a chromium–manganese stainless steel. Influence of – 3, 179
– to the plasticity of metastable austenitic steels. Contribution of the martensitic transformation during – 5, 142
**Deformed** alloys in which an ordered $Ni_3Al$ phase is precipitated during ageing. Structure formation during annealing of – 6, 95

– molybdenum single crystals. Relation between dislocation dissociation and the structure state of – 5, 152
**Demagnetizing** field on the mobility of magnetic domain boundaries. Influence of a – 4, 186
**Density** of phonon states from the thermodynamic functions of a crystal (molybdenum, tungsten, magnesium, zinc, cadmium). Determination of the – 5, 5
**Dependence** amplitude of internal friction of polycrystals of metals and alloys 1, 134
– of flow stress on density of basal dislocations in zinc crystals in the range 1·5–300K 5, 108
– of orientation distribution function on cold rolling reduction of molybdenum 6, 88
–, temperature, of the nuclear gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in zirconium alloys. Investigation of the – 5, 12
**Dependencies,** orientation and structure, of the electromagnetic losses of locally deformed single crystals of Fe–3% Si 3, 57
**Diffuse** X-ray and electron scattering investigation of the fine crystalline structure of the solid solutions of Ti–Mn and Ti–Mo alloys 2, 89
**Diffusion,** cobalt, in beryllium 4, 170
– coefficients in a multicomponent system, calculation of the constant – 1, 192
– growth in a polycrystal. Conditions under which a void between grains remains stable during – 3, 157
–, mutual, in an α solid solution of aluminium in iron – 2, 98
– of beryllium in titanium 3, 182
– of zinc in aluminium. The possibility of a non-vacancy mechanism of boundary – 4, 189
– processes, influence of vacancy–impurity complexes on – 6, 104
–, volume, of arsenic in nickel 5, 193
–, volume, of "silver" impurities in nickel 2, 107
**Dislocation** dissociation and the structure state of deformed molybdenum single crystals. Relation between – 5, 152
–, edge, in a cubic ferromagnet. On the distribution of easy axes near an – 6, 41
– loop on formation of mobile point defect–impurity atom complexes. Growth of a – 1, 81
– moving in an elastically nonlinear medium. Displacement field of a – 6, 21
– structure and phase composition of a chromium–manganese stainless steel. Influence of deformation temperature on the – 3, 179
– structure of block boundaries in b.c.c. single crystals. Features of the – 1, 121
– structure of magnesium deformed by ultrasonic vibrations 5, 100
– structure of niobium after tensile testing at a low rate under conditions of reaction irradiation. Investigation of the – 6, 165
**Dislocations,** angular glissile, in isotropic crystals. On the possibility of – 4, 130
– basal, in zinc crystals in the range 1·5–300 K. Dependence of flow stress on density of – 5, 108
–, basal, with prismatic dislocation loops in zinc crystals. Investigation of the interaction of – 3, 167
–, screw, and microtwinning in vanadium and its solid solutions 5, 94
**Displacement** field of a dislocation moving in an elastically nonlinear medium 6, 21
**Displacements,** atomic, round an impurity and many-particle interactions in metals 4, 181
**Distribution,** atomic, in ternary Ni–Fe–Al alloys with B2 lattice – 2, 176
**Domain** structure and critical size of fine, magnetically equiaxial, ferromagnetic particles 4, 85

– structure and dimensions of crystals of Fe–3% Si. On the ralation between the type of – 5, 26
– structure of monocrystalline plates of compound $ThFe_2$, with surface plane {111} 1, 34
**Domains,** creep, in thin film ferromagnetic tape 1, 177
– of interaction. On the direction of magnetization in – 2, 45
–, passage of, through a ferromagnetic channel. A new principle of the – 2, 181

**Effects,** correlation, and ferromagnetism 2, 9
–, magnetoelastic and magnetostriction, reversible and initial irreversible – 4, 101
–, many-particle, in the PES spectra of inner levels of metal and semiconductors 1, 64
–, radiation, in superconductive materials – 4, 26
**Elasticity** of titanium nickelide. Investigation of the imperfect – 2, 161
**Electrical** engineering steel strip. Influence of an electrical insulating coating on the response of magnetic losses to the elastoplastic bending of – 2, 173
– insulating coating on the response of magnetic losses to the elastoplastic bending of electrical engineering steel strip. Influence of an – 2, 173
– properties of compound $CuC_{32}Se_{4-x}Br_x(0{\cdot}1 \leqslant x \leqslant 0{\cdot}6)$. Features of the – 1, 167
**Electrolytic** copper films at room temperature. Creep of free – 3, 172
**Electromagnetic** excitation of sound in monolayer metal films. Mössbauer investigation of – 2, 30
– excitation of sound in paramagnetic metals. Mössbauer investigation of the – 2, 25
– losses of locally deformed single crystals of Fe–3% Si. Orientation and structure dependencies of the – 3, 57
**Electron** density and energy in metals with an f.c.c. lattice. The covalence component on – 5, 1
– diffraction investigation of short-range order in alloy NiPt 4, 167
– energy spectrum of disordered substitutional Al–Cu alloys in mean *t*-matrix approximation 4, 1
–, high-voltage, microscope, recrystallization of high-purity copper during annealing in a – 2, 121
– ordering in the generalized two-dimensional model of Hubbard 3, 13
– scattering investigation of the fine crystalline structure of the solid solutions of Ti–Mn and Ti–Mo alloys. Diffuse X-ray and – 2, 89
– states of the conduction band in alloys of transition metals with aluminium. Investigation of the – 5, 161
– structure of alloys with long- and short-range order. A new method of calculating the – 2, 188
– structure of iron, cobalt and nickel alloys. High-temperature magnetic susceptibility and – 4, 51
**Electrons,** conduction, in disordered metallic systems. On the theory of surface scattering of – 4, 176
–, conduction, in metals. Positron-phonon interaction via – 5, 191
**Embrittlement** of low-alloy sheet molybdenum. The problem of 45 degree – 2, 69
**Energy,** and electron density, in metals with an f.c.c. lattice. The covalence component of – 5, 1
– band structure and density of states of titanium and vanadium monoxides 6, 1
– stacking fault of austenite in Fe–30% Ni–C alloys 6, 128

**Equilibrium** structure of polycrystalline aluminium. Special grain boundaries in the – **5,** 84
**Eutectic** $Al–CuAl_2$, directionally crystallized. Structural changes during strength tests of – **3,** 90
– Ni–NbC composite, influence of composition and conditions of crystallization on the microstructure and strength of a – **2,** 76
– phases in silumin. Peculiarities of the crystallization of – **5,** 73

**F.c.c.** lattice, the covalence component of electron density and energy in metals with an – **5,** 1
**Features** of nickel segregation in iron–nickel single crystals during dendritic-cellular crystallization **3,** 26
– of nuclear magnetic resonance and relaxation near the structure transition point of $V_3Si$ **6,** 173
– of the defect structure of low-temperature extruded copper **5,** 89
– of the dislocation structure of block boundaries in b.c.c. single crystals **1,** 121
– of the electrical properties of compound $CuC_{32}Se_{4-x}Br_x (0{\cdot}1 \leqslant x \leqslant 0{\cdot}6)$ **1,** 167
– of the $\gamma \rightarrow \alpha$ transition in the critical range of the intermediate transformation in steels based on Fe+3% Cr **1,** 99
– of void formation. Porosity and mechanical properties of alloy Mo–Zr–B after high-temperature neutron irradiation. I. – **4,** 135
**Fermi surface,** thermal and optical masses in vanadium **1,** 11
**Ferromagnet,** cubic, on the distribution of easy axes near an edge dislocation in a – **6,** 41
– , on the theory of impedance of a conductive – **1,** 1
– , three-frequency interactions of spin and elastic waves in a cubic – **1,** 17
**Ferromagnetic** channel. A new principle of the passage of domains through a – **2,** 181
– particles, domain structure and critical size of fine, magnetically equiaxial, – **4,** 85
– particles with a small number of stripe domains. Magnetization process of – **1,** 45
– resonance, pulsed remagnetization of thin magnetic fileds in the amplitude range of – **3,** 31
– tape, creep domains in thin film – **1,** 177
**Ferromagnetism,** correlation effects and – **2,** 9
**Field,** deformation of nickel in a steady magnetic – **5,** 188
– , demagnetizing, on the mobility of magnetic domain boundaries. Influence of a – **4,** 186
– , molecular, distribution function in systems with randomly distributed centres of interaction. On the – **6,** 7
**Film** ferromagnetic tape. Creep domains in thin – **1,** 177
– , pseudomorphous, growth and the dimensions of the base. Relation between the critical depth of – **5,** 179
**Films,** Co–Gd, investigation of the magnetic anisotropy of – **2,** 184
– , electrolytic copper, at room temperature, creep of free – **3,** 172
– , Mössbauer investigation of electromagnetic excitation of sound in monolayer metal – **2,** 30
– od dilute $^{57}Fe$-based alloys. Nuclear magnetic resonance in – **5,** 200
– , oxide, low-temperature depression of the magnetic noise of – **2,** 178
– , thin, of terbium and gadolinium–terbium alloys. Nuclear magnetic resonance in – **2,** 190

**Flow** stress on density of basal dislocations in zinc crystals in the range 1·5–300 K. Dependence of – 5, 108
**Fracture** of Ti–Al–Sn and Ti–Al–V alloys. Characteristics of low-temperature plastic deformation and – 3, 121

**Gallium,** magnetic susceptibility and electrical conductivity of sodium alloys with – 5, 22
**Glass,** macrospin, formation in decomposed solid solutions 4, 64
**Grain** boundaries in the system copper–gold. Adsorption thermodynamics on – 6, 75
– boundaries, special, in the equilibrium structure of polycrystalline aluminium 5, 84
– boundaries, thermodynamics of – 2, 59

**Hall effect** in holmium and holmium–samarium alloys at low temperatures. Peculiarities of the – 5, 196
**Hardening** of molybdenum. Influence of temperature and structural state on the work– 1, 129
– , work, of mono- and polycrystalline alloy $Ni_3Fe$. Influence of degree of long-range order on – 9
3, 138
**Heat** capacities of V and VI transition metals. Anharmonic components of the – 1, 53
– capacity of iron–nickel–chromium alloys. Microhardness and – 2, 192
– resistance, substructure of hot deformed molybdenum and its influence on – 4, 140
– treatment, transformation of a weld of a zirconim alloy with 2·5% niobium during annealing after cycles of – 5, 175
**High-carbon** martensite, crystalgeometrical features of the precipitation of cementite during decomposition of – 3, 66
**Hume–Rothery electron** compounds of the $\beta$ brass type. On the nature of the shear instability of – . I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition 4, 19
**Hydrogen** influencing the magnetic and electrical properties of yttrium 4, 196
– pressures up to 67 kbar. Resistivity of nickel, palladium and platinum at – 1, 60
– self-diffusion in zirconium hydride. Autoradiography study of – 2, 103
**Hysteresis** loop width of the thermodynamic $\beta_1 \rightleftarrows \beta_1$ transformation in the system Cu–Al–Ni. On the rate dependence of the – 2, 64

**Imperfect** elasticity of titanium nickelide, investigation of the – 2, 161
**Impurities** influencing the superelastidity of aluminium 1, 160
– , "silver", in nickel. Volume diffusion of – 2, 107
**Impurity** and many-particle interactions in metals. Atomic displacements round an – 4, 181
– crystals. Microstructural plastic instability of – 2, 154
– zone of a spin chain. Fine structure of the – 3, 9
**Influence** of a demagneizing field on the mobility of magnetic domain boundaries 4, 186
– of an electrical insulating coating on the response of magnetic losses to the elasto-plastic bending of electrical engineering steel strip 2, 173
– of atomic ordering on the magnetic properties and resistivity of the alloy $Fe_{25}Pd_{50}Au_{25}$ 3, 38
– of cobalt on the solubility of Laves phase $Fe_2Mo$ in maraging steel 2, 48
– of composition and conditions of crystallization on the microstructure and strength of a eutectic Ni–NbC composite 2, 76
– of crystal lattice defects on the axial shadow picture 4, 158

– of deformation temperature on the dislocation structure and phase composition of a chromium–manganese stainless steel 3, 179
– of degree of long-range order on work hardening of mono- and polycrystalline alloy $Ni_3Fe$ 3, 138
– of high-amplitude ultrasonic vibrations on low-temperature dislocation internal friction in antimony 1, 142
– of high-temperature deformation on the structure and properties of isothermally quenched steel 4, 121
– of prior deformation on the structure and properties of alloy Fe–Ni–V–C after reversible $\alpha \rightarrow \gamma$ transformation 2, 135
– of temperature and structural state on the work hardening of molybdenum 1, 129
– of temperature and the purity of a material on acoustic strengthening 3, 161
– of the partial decomposition of the $\beta_1$ phase on the magnetic properties and martensitic transformation point of Cu–Al–Mn alloys 6, 169
– of the size factor on the electrical conductivity of beryllium at 77 K 4, 192
– of twins on crack nucleation in Fe+3·25% Si with intensive associated glide 2, 165
**Instability** and ordering of the $\beta$ phase in the system Ni–Al 6, 115
–, plastic, of impurity crystals. Microstructural – 2, 154
–, shear, of Hume–Rothery electron compounds of the $\beta$ brass type. On the nature of the –. I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition 4, 19
**Interaction** of basal dislocations with prismatic dislocation loops in zinc crystal. Investigation of the – 3, 167
–, on the direction of magnetization in domains of – 2, 45
–, on the molecular field distribution function in systems with randomly distributed centres of – 6, 7
–, peculiarities of phase transitions accompanied by phase – 3, 1
–, positron-phonon, via conduction electrons in metals 5, 191
**Interactions,** many particle, in metals. Atomic displacements round an impurity and – 4, 181
–, three-frequency, of spin and elastic waves in a cubic ferromagnet 1, 17
**Internal** friction in antimony. Influence of high-amplitude ultrasonic vibrations on low-temperature dislocation – 1, 142
– friction of polycrystals of metals and alloys. Amplitude dependence of – 1, 134
– friction of single crystals of metals and solid solutions. Microplastic deformation and amplitude dependence of the – 6, 175
– friction of some rare-earth alloys of systems Er–Tb and Gd–Tb in the range 4·2 to 330°K. Elastic modulus, $\Delta E$ effect and – 1, 155
**Interphase** precipitates in a quenched low-carbon steel 5, 156
**Interrelation** of stresses with the strains of single-phase polycrystals measured by X-ray procedures 3, 128
**Invars,** iron–nickel, thermomagnetic and thermoelectric properties of – 1, 188
**Investigation,** Mössbauer, of electromagnetic excitation of sound in monolayer metal films 2, 30
– of the dislocation structure of niobium after tensile testing at a low rate under conditions of reactor irradiation 6, 165

– of the electron states of the conduction band in alloys of transition metals with aluminium 5, 161
– of the imperfect elasticity of titanium nickelide 2, 161
– of the interaction of basal dislocations with prismatic dislocation loops in zinc crystals 3, 167
– of the magnetic anisotropy of Co–Gd films 2, 184
– of the mechanism of deformation and rupture of the two-phase chromium–nickel alloy VKh4 3, 116
– of the strengthening of a high-duty titanium alloy by thermomechanical treatment 1, 115
– of the structural peculiarities of the low tempered martensite of alloyed steels 2, 113
– of the temperature dependence of the nuclear gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in zirconium alloys 5, 12
**Iron** and steels, on the magnetoelastic properties of plastically deformed – 6, 55
– , mutual diffusion in an $\alpha$ solid solution of aluminium in – 2, 98
– oxides in a copper matrix. Structure and coalescence of particles of titanium, silicon and – 1, 74
**Iron–nickel** invars, thermomagnetic and thermoelectric properties – 1, 188
– single crystals during dendritic-cellular crystallization. Features of nickel segregation in – 3, 26
**Irradiation,** high-temperature neutron, porosity and mechanical properties of alloy Mo–Zr–B after – . I. Features of void formation 4, 135
**Isothermally** quenched steel. Influence of high-temperature deformation on the structure and properties of – 4, 121
**Isotropic** crystals, on the possibility of angular glissile dislocations in – 4, 130

**Kinetic** properties of palladium–silver alloys. High-temperature – 3, 19
– properties of ruthenium under magnetic breakdown conditions. Magnetothermoelectric effects 4, 91
**Kinetics** of anisotropic nucleation, on the – 5, 34
– , phase growth, during mutual diffusion in the system Ni–V 5, 58
– , recrystallization, of copper in the range 520–970°C. Peculiarities of collective – 5, 159
**Köster peak,** influence of plastic deformation on the – 5, 112

**Lattice,** B2, atomic distribution in ternary Ni–Fe–Al alloys with – 2, 176
– , crystal defects, on the axial shadow picture. Influence of – 4, 158
**Laves phase** $Fe_2Mo$ in maraging steel. Influence of cobalt on the solubility of – 2, 48
**Losses** in transformer steel under the influence of a non-uniform normal pressure. Variations of the magnetic – 1, 30
– to the elastoplastic bending of electrical engineering steel strip. Influence of an electrical insulating coating on the response of magnetic – 2, 173

**Macroscopic** glass formation in decomposed solid solutions 4, 64
**Magnesium,** dislocation structure of, deformed by ultrasonic vibrations 5, 100
**Magnetic** anisotropy of Co–Gd films. Investigation of the – 2, 184
– breakdown conditions. Kinetic properties of ruthenium under – . Magnetothermoelectric effects 4, 91

– field, deformation of nickel in a steady – 5, 188
– field influencing the transformation of retained austenite in a case-hardened steel 5, 167
– fields in the amplitude range of ferromagnetic resonance. Pulsed remagnetization of thin – 3, 31
– losses in transformer steel under the influence of a non-uniform normal pressure, Variations of the – 1, 30
– losses to the elastoplastic bending of electrical engineering steel strip. Influence of an electrical insulating coating on the response of – 2, 173
– noise of oxide films. Low-temperature depression of the – 2, 178
– noise of specimens of alloy 40NKM after different thermomechanical treatments. Characteristics of the extra – 5, 164
– , nuclear, resonance in compounds $LaNi_5$–H containing small additions of chromium 5, 183
– , nuclear, resonance in films of dilute $^{57}$Fe-based alloys 5, 200
– , nuclear, resonance in thin films of terbium and gadolinium–terbium alloys 2, 190
– properties and martensitic transformation point of Cu–Al–Mn alloys. Influence of the partial decomposition of the $\beta_1$ phase on the 6, 169
– properties and resistivity of the alloy $Fe_{25}Pd_{50}Au_{25}$. Influence of atomic ordering on the – 3, 38
– properties of alloy FePt. Influence of plastic deformation on structure features and – 6, 47
– properties of $Ce_xLa_{1-x}B_6$ solid solutions 1, 174
– properties of chromium–nickel and chromium–vanadium alloys 6, 27
– properties of quasibinary rare-earth compounds $Sm_{1-x}R_xCo_5$ (R = Y, La, Ce, Nd) 2, 39
– properties of single crystals of alloys Fe–Cr–Co and Fe–Cr–Co–Mo 4, 72
– properties of the amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$. Influence of crystallization on the – 6, 33
– structure of disordered solid solutions of *d* transition metals with opposite exchange on the example of alloys $Mn_{1-c}Fe_cPt_3$. Concerning the – 4, 76
– structures, symmetrical analysis of – . The single representation concept 6, 10
– susceptibility and electrical conductivity of sodium alloys with gallium 5, 22
– susceptibility and electron structure of iron, cobalt and nickel alloys. High-temperature – 4, 51
– susceptibility of crystals with strong *s–d* exchange [1] 4, 195
**Magnetization** in domains of interaction. On the direction of – 2, 45
– process of ferromagnetic particles with a small number of stripe domains 1, 45
– , spontaneous, of some compounds of rare-earth and 3*d* transition metals. Anisotropy of – 3, 44
**Magnetoelastic** and magnetostriction effects. Reversible and initial irreversible – 4, 101
– properties of compound $TbFe_2$ 5, 169
– properties of plastically deformed iron and steels 6, 55
**Magnetostriction** and magnetoelastic effects. Reversible and initial irreversible – 4, 101
**Magnetothermoelectric** effects. Kinetic properties of ruthenium under magnetic breakdown conditions. – 4, 91
**Maraging** steel. Influence of cobalt on the solubility of Laves phase $Fe_2Mo$ in – 2, 48

**Martensite,** deformation, the influence of stacking faults on the formation of – 4, 172
– , high-carbon, crystalgeometrical features of the precipitation of cementite during decomposition of – 3, 66
– , low tempered, of alloyed steels. Investigation of the structural peculiarities of the – 2, 113
– , $\alpha$, of iron–manganese alloys. Peculiarities of the crystal structure of the – 5, 43
**Martensitic** transformation, acoustic emission investigation on the athermal – 1, 110
– transformation during deformation to the plasticity of metastable austenitic steels. Contribution of the – 5, 142
– transformation point of Cu–Al–Mn alloys. Influence of the partial decomposition of the $\beta_1$ phase on the magnetic properties and – 6, 169
**Materials,** superconductive, radiation effects in – 4, 26
**Matrix,** copper, structure and coalescence of particles of titanium, silicon and iron oxides in a – 1, 74
**Mechanical** properties and porosity of alloy Mo–Zr–B after high-temperature neutron irradiation. II. Dependence of strengthening and embrittlement of the size and density of voids 5, 118
– properties of Al–Zn–Mg alloys. Influence of plastic deformation on structure transformations and – 3, 109
– properties of directionally crystallized ternary alloys Al–Ni–Co and Al–Ni–Si. Analysis of the – 5, 130
– properties of fine-grain Zn–Al alloys. Low-temperature – 3, 145
– properties of transition class steels. Production, stability and influence of austenite on the – 1, 150
**Mechanism** of boundary of zinc in aluminium. The possibility of a non-vacancy – 4, 189
– of deformation and rupture of the two-phase chromium–nickel alloy VKh4. Investigation of the – 3, 116
– of "slow" $\alpha \rightarrow \gamma$ transformation in iron–nickel alloys. Concerning the – 3, 84
**Medium,** elastically nonlinear, displacement field of a dislocation moving in an – 6, 21
**Melt,** formation of a metastable samarium modification during quenching from the – 1, 183
**Metal** films, Mössbauer investigation of electromagnetic excitation of sound in monolayer – 2, 30
– surfaces, on the theory of adhesion of two – 2, 18
**Metals** and alloys, amplitude dependence of internal friction of polycrystals of – 1, 134
– and semiconductors. Many-particle effects in the PES spectra of inner levels of – 1, 64
– and solid solutions. Microplastic deformation and amplitude dependence of the internal friction of single crystals of – 6, 175
– , atomic displacements round an impurity and many-particle interactions in – 4, 181
– , calculation of equations of state of – 1, 171
– dose dependence of radiation creep and swelling of – 5, 186
– , *d* transition, with opposite exchange on the example of alloys $Mn_{1-c}Fe_cPt_3$. Concerning the magnetic structure of disordered solid solutions of – 4, 76
– , paramagnetic, Mössbauer investigation of the electromagnetic excitation of sound in – 2, 25
– , positron-phonon interaction via conduction electrons in – 5, 191

– , transition, anharmonic components of the heat capacities of V and VI – 1, 53
– with an f.c.c. lattice. The covalence component of electron density and energy in – 5, 1
**Metastable** austenitic steels. Contribution of the martensitic transformation during deformation to the plasticity of – 5, 142
– austenitic steels in tension. Peculiarities of the deformation of cylindrical specimens of – 5, 136
– samarium modification during quenching from the melt. Formation of a – 1, 183
**Method,** a new, of calculating the electron structure of alloys with long- and short-range order 2, 188
– of mathematical experiment planning for the development of graphitized steels with high damping parameters. Application of the – 6, 63
**Microhardness** and heat capacity of iron–nickel–chromium alloys 2, 192
**Microplastic** deformation and amplitude dependence of the internal friction of single crystals of metals and solid solutions 6, 175
**Microscope,** recrystallization of high-purity copper during annealing in a high-voltage electron – 2, 121
**Microstructural** peculiarities of cobalt deformed in the pre-transition range of temperatures 6, 148
– plastic instability of impurity crystals 2, 154
**Microstructure** and strength of a eutectic Ni–NnC composite. Influence of composition and conditions of crystallization on the – 2, 76
**Microtwinning** in vanadium and its solid solutions, screw dislocations and – 5, 94
**Model** of Hubbard, electron ordering in the generalized two-dimensional – 3, 13
**Moduli,** elastic, static and dynamic isothermal – 4, 12
**Molecular** field distribution function in systems with randomly distributed centres on interaction 6, 7
**Molybdenum,** dependence of orientation distribution function on cold rolling reduction of – 6, 88
– , hot deformed, and its influence on heat resistance. Substructure of – 4, 140
– , low-alloy sheet, the problem of 45 degree embrittlement of – 2, 69
– , neutron irradiated, of different degrees of purity. Radiation damage in – 6, 133
– , rolled, single crystals. On the macroscopic heterogeneity of the plastic deformation of – 2, 148
– single crystal with radiation damage. Positron annihilation in – 2, 54
– single crystals. Relation between dislocation dissociation and the structure state of deformed – 5, 152
– , the work hardening of, influence of temperature and structural state on – 1, 129
**Mössbauer analysis** of the atomic structure of cold rolled transformer steel after decarburization annealing treatment 3, 189
**Mössbauer investigation** of electromagnetic excitation of sound in monolayer metal films 2, 30
– of the electromagnetic excitation of sound in paramagnetic metals 2, 25
**Mössbauer study** of the austenite of alloy Fe–Al–C 5, 63
**Motion,** resistance to superdislocation, due to atoms in irregular positions 2, 142
**Mutual diffusion** in the system Ni–V. Phase growth kinetics during – 5, 58

**Nature** of the shear instability of Hume–Rothery electron compounds of the $\beta$ brass type. On the – . I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition **4,** 19
**Neutron,** high-temperature, irradiation. Porosity and mechanical properties of alloy Mo–Zr–B after – . I. Features of void formation **4,** 135
– irradiation, porosity and mechanical properties of alloy Mo–Zr–B after high-temperature – . II. Dependence of strengthening and embrittlement of the size and density of voids **5,** 118
**Nickel** deformation in a steady magnetic field **5,** 188
– , palladium and platinum at hydrogen pressures up to 67 kbar. Resistivity of – **1,** 60
– segregation in iron–nickel single crystals during dendritic-cellular crystallization. Features of – **3,** 26
– , volume diffusion of arsenic in – **5,** 193
– , volume diffusion of "silver" impurities in – **2,** 107
**Nickelide,** investigation of the imperfect elasticity of titanium – **2,** 161
**Niobium** bicrystals, a study of the impact toughness of – **6,** 167
– , dislocation structure of, after tensile testing at a low rate under conditions of reactor irradiation. Investigation of the – **6,** 165
– , 2·5%, during annealing after cycles of heat treatment. Transformation of a weld of a zirconium alloy with – **5,** 175
– in $Nb_3X$ compounds (X = Ga, Os, Ir, Pt, Au) with A15 structure. X-ray $M_{IV,V}$-emission bands of – **6,** 155
**Nuclear** gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in zirconium alloys. Investigation of the temperature dependence of the – **5,** 12
– magnetic resonance and relaxation near the structure transition point of $V_3Si$. Features of – **6,** 173
– magnetic resonance in compounds $LaNi_5$–H containing small additions of chromium **5,** 183
– magnetic resonance in films of dilute $^{57}Fe$-based alloys **5,** 200
– magnetic resonance in thin films of terbium and gadolinium–terbium alloys **2,** 190
**Nucleation,** anisotropic, on the kinetics of – **5,** 34

**Order–disorder** phase transition in alloy $Au_3Cd$ **6,** 82
**Ordering** alloys $PdFe_{1-x}Cr_x$. Resistivity of – **4,** 184
– and instability of the $\beta$ phase in the system Ni–Al **6,** 115
– , electron, in the generalized two-dimensional model of Hubbard **3,** 13
– of iron–nickel alloys **5,** 67

**Palladium,** nickel and platinum at hydrogen pressure up to 67 kbar. Resistivity of – **1,** 60
**Paramagnetic** metals, Mössbauer investigation of the electromagnetic excitation of sound in – **2,** 25
**Parameters,** high damping, application of the method of mathematical experiment planning for the development of graphitized steels with – **6,** 63
**Particles,** ferromagnetic, with a small number of stripe domains. Magnetization process of – **1,** 45
**Peculiarities** of collective recrystallization kinetics of copper in the range 520–970°C **5,** 159

– of phase transitions accompanied by phase interaction 3, 1
– of the crystallization of eutectic phases in silumin 5, 73
– of the crystal structure of the α martensite of iron–manganese alloys 5, 43
– of the deformation of cylindrical specimens of metastable austenitic steels in tension 5, 136
– of the Hall effect in holmium and holmium–samarium alloys at low temperatures 5, 196
– of the low-temperature creep of layer composites 3, 152
– of the plate structure of low-alloy pseudoalpha titanium alloys 3, 94
– of the precipitation process. Ageing of alloy Al–2·8 wt. Li in an ultrasonic field. – 5, 53
– , structural, of the low tempered martensite of alloyed steels. Investigation of the – 2, 113
**Phase** and structural transformations during thermomechanical treatment of beryllium bronze 3, 105
– composition of a chromium–manganese stainless steel. Influence of deformation temperature on the dislocation structure and – 3, 179
– diagrams of binary systems. *f–d* elements of the periodic table. On the interrelation of the – 3, 5
– $Fe_2Mo$, Laves, in maraging steel. Influence of cobalt on the solubility of – 2, 48
– , ω, formation in copper–aluminium–nickel alloys 4, 178
– growth kinetics during mutual diffusion in the system Ni–V 5, 58
– interaction, peculiarities of phase transitions accompanied by – 3, 1
– , β, in the system Ni–Al. Ordering and instability of the – 6, 115
– , $Ni_3Al$, is precipitated during ageing. Structure formation during annealing of deformed alloys in which an ordered – 6, 95
– , $\beta_1$, on the magnetic properties and martensitic transformation point of Cu–Al–Mn alloys. Influence of the partial decomposition of the – 6, 169
– , α, structure of iron and iron–nickel alloys after polymorphic transformation under pressure 5, 77
– transformation in Ti–Nb alloys exposed to shock waves 1, 181
– transition accompanied by phase interaction. Peculiarities of – 3, 1
**Phases,** mutual influence of, on structure changes in an austenite-martensite steel during plastic deformation 5, 38
**Phonon** spectrum in β brass as a function of the composition and degree of long-range order. Pseudopotential calculation of the – 2, 1
– states, density of, from the thermodynamic functions of a crystal (molybdenum, tungsten, magnesium, zinc, cadmium). Determination of the – 5, 5
**Phosphorus,** adsorption of, on austenite grain boundaries and tendency of quenched steel to delayed rupture 6, 120
**Plastic** deformation influencing structure features and magnetic properties of alloy FePt 6, 47
– deformation influencing structure transformations and mechanical properties of Al–Zn–Mg alloy 3, 109
– deformation influencing the Köster peak 5, 112
– deformation of rolled molybdenum single crystals. On the microscopic heterogeneity of the – 2, 148
– deformation, on the mutual influence of phases on structure changes in an austenite-martensite steel during – 5, 38
– instability of impurity crystals. Microstructural – 2, 154

**Plastically** deformed iron and steels. On the magnetoelastic properties of – **6,** 55
– deformed single crystals of aluminium. Topographic X-ray study of – **4,** 150
**Plasticity** of metastable austenitic steels. Contribution of the martensitic transformation during deformation to the – **5,** 142
**Plate** structure of low-alloy pseudoalpha titanium alloys. Peculiarities of the – **3,** 94
**Plates,** monocrystalline, of compound $TbFe_2$, with surface plane {111}. Domain structure of – **1,** 34
**Platinum,** nickel and palladium at hydrogen pressures up to 67 kbar. Resistivity of – **1,** 60
**Point,** martensitic transformation, of Cu–Al–Mn alloys. Influence of the partial decomposition of the $\beta_1$ phase on the magnetic properties and – **6,** 169
–, transition, of $V_3Si$. Features of nuclear magnetic resonance and relaxation near the structure – **6,** 173
**Polycrystal,** conditions under which a void between grains remains stable during diffusion growth in a – **3,** 157
**Polycrystalline** aluminium, special grain boundaries in the equilibrium structure of – **5,** 84
**Polycrystals** of metals and alloys. Amplitude dependence of internal friction of – **1,** 134
–, single-phase, measured by X-ray procedures. Interrelation of stresses with the strains of – **3,** 128
– with an axial texture. The heterogeneous properties of – **5,** 49
**Porosity,** and mechanical properties of alloy Mo–Zr–B after high-temperature neutron irradiation. II. Dependence of strengthening and embrittlement of the size and density of voids **5,** 118
– and mechanical properties of alloy Mo–Zr–B after high-temperature neutron irradiation. I. Features of void formation **4,** 135
**Positron-phonon** interaction via conduction electrons in metals **5,** 191
**Precipitation** of cementite during decomposition of high-carbon martensite. Crystal-geometrical features of the – **3,** 66
– process. Ageing of alloy Al–2·8 wt.% Li in an ultrasonic field. Peculiarities of the – **5,** 53
**Pressure** hydrogen, up to 67 kbar. Resistivity of nickel, palladium and platinum at – **1,** 60
**Prismatic** dislocation loops in zinc crystals. Investigation of the interaction of basal dislocations with – **3,** 167
**Properties,** magnetic and electrical, of yttrium, influence of hydrogen on the – **4,** 196
–, magnetoelastic, of compound $TbFe_2$ **5,** 169
– of alloy Fe–Ni–V–C after reverse $\alpha \rightarrow \gamma$ transformation. Influence of prior deformation on the structure and – **2,** 135
– of isothermally quenched steel. Influence of high-temperature deformation on the structure and – **4,** 121
–, porosity and mechanical, of alloy Mo–Zr–B after high-temperature neutron irradiation. I. Features of void formation **4,** 135
–, thermomagnetic and thermoelectric, of iron–nickel invars **1,** 188
**Purity** of a material on acoustic strengthening. Influence of temperature and the – **3,** 161

**Quasibinary** rare-earth compounds $Sm_{1-x}R_xCo_5$ (R = Y, La, Ce, Nd). Magnetic properties of – **2** 39
**Quenching** from the melt. Formation of a metastable samarium modification during – **1,** 183

**Radiation** creep and swelling of metals. Dose dependence of – 5, 186
– creep, vacancy loop contribution to the transition stage of – 5, 124
– damage in neutron irradiated molybdenum of different degrees of purity 6, 133
– damage, positron annihilation in molybdenum single crystal with – 2, 54
– effects in superconductive materials 4, 26
– swelling and creep of metals. Dose dependence of – 5, 186
**Range,** amplitude, of ferromagnetic resonance. Pulsed remagnetization of thin magnetic fields in the – 3, 31
**Rare-earth** alloys of systems Er–Tb and Gd–Tb in the range 4·2 to 330°K. Elastic modulus, $\Delta E$ effect and internal friction of some – 1, 155
– and 3*d* transition metals. Anisotropy of spontaneous magnetization of some compounds of – 3, 44
– compounds $Sm_{1-x}R_xCo_5$ (R=Y, La, Ce, Nd). Magnetic properties of quasi-binary – 2, 39
**Reactor** irradiation, investigation of the dislocation structure of niobium after tensile testing at a low rate under conditions of – 6, 165
**Recrystallization** kinetics of copper in the range 520–970°C. Peculiarities of collective – 5, 159
– of high-purity copper during annealing in a high-voltage electron microscope 2, 121
**Relation** between dislocation dissociation and the structure state of deformed molybdenum single crystals 5, 152
– between the critical depth of pseudomorphous film growth and the dimensions of the base 5, 179
**Relaxation** processes in the volume changes of steel during tempering. On the role of – 2, 81
**Remagnetization,** pulsed, of thin magnetic fields in the amplitude range of ferromagnetic resonance 3, 31
**Resistance** to superdislocation motion due to atoms in irregular positions 2, 142
**Resistivity** of nickel, palladium and platinum at hydrogen pressures up to 67 kbar 1, 60
– of ordering alloys $PdFe_{1-x}Cr_x$ 4, 184
– of the alloy $Fe_{25}Pd_{50}Au_{25}$. Influence of atomic ordering on the magnetic properties and – 3, 38
– , of transition metal alloys. Concerning the temperature anomalies of the – 3, 192
**Response** of magnetic losses to the elastoplastic bending of electrical engineering steel strip. Influence of an electrical insulating coating on the – 2, 173
**Rolled** molybdenum single crystals. On the macroscopic heterogeneity of the plastic deformation of – 2, 148
**Rolling,** cold, reduction of molybdenum. Dependence of orientation distribution function on – 6, 88
– textures and structures of vanadium single crystals 1, 87
**Rupture,** adsorption of phosphorus on austenite grain boundaries and tendency of quenched steel to delayed – 6, 120
– and deformation mechanism of the two-phase chromium–nickel alloy VKh4. Investigation of the – 3, 116
**Ruthenium,** kinetic properties of, under magnetic breakdown conditions. Magneto-thermoelectric effects 4, 91

**Samarium** modification during quenching from the melt. Formation of a metastable – **1,** 183
**Screw** dislocations and microtwinning in vanadium and its solid solutions **5,** 94
**Self-diffusion,** hydrogen, in zirconium hydride. Autoradiography study of – **2,** 103
**Shape** change, reversible, in copper aluminium alloys with addition of nickel and manganese **4,** 110
– memory effect in Fe–Ni–Co–Ti alloys **6,** 162
**Shear** instability of Hume–Rothery electron compounds of the $\beta$ brass type. On the nature of the – . I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition **4,** 19
**Shock** waves, phase transformation in Ti–Nb alloys exposed to – **1,** 181
**Silicon** and iron oxides in a copper matrix. Structure and coalescence of particles of titanium, – **1,** 74
**Silumin,** peculiarities of the crystallization of eutectic phases in – **5,** 73
**Silver,** facetted structure of $\{11\bar{2}\}$ twin boundaries in – **2,** 195
– single crystals in the range 2–300 K. Temperature dependence of the yield point of – **6,** 142
**Single crystals** of alloys Fe–Cr–Co and Fe–Cr–Co–Mo. Magnetic properties of **4,** 72
– of aluminium. Topographic X-ray study of plastically deformed – **4,** 150
– , relation between dislocation dissociated and the structure state of deformed molybdenum – **5,** 152
**Sodium** alloys with gallium. Magnetic susceptibility and electrical conductivity of – **5,** 22
**Solid solution,** $\alpha$, of aluminium in iron. Mutual diffusion in an – **2,** 98
**Solid solutions,** $Ce_xLa_{1-x}B_6$, magnetic properties of – **1,** 174
– , decomposed, macrospin glass formation in – **4,** 64
– , disordered, of *d* transition metals with opposite exchange on the example of alloys $Mn_{1-c}Fe_cPt_3$. Concerning the magnetic structure of – **4,** 76
– , microplastic deformation and amplitude dependence of the internal friction of single crystals of metals and – **6,** 175
– of Ti–Mn and Ti–Mo alloys. Diffuse X-ray and electron scattering investigation of the fine crystalline structure of the – **2,** 89
– , screw dislocations and microtwinning in vanadium and its – **5,** 94
**Sound** in monolayer metal films. Mössbauer investigation of electromagnetic excitation of – **2,** 30
– in paramagnetic metals. Mössbauer investigation of the electromagnetic excitation of – **2,** 25
**Spectra,** PES, of inner levels of metals and semiconductors. Many-particle effects in the – **1,** 64
**Spectrum,** electron energy, of disordered substitutional Al–Cu alloys in mean *t*-matrix approximation **4,** 1
– , phonon, in $\beta$ brass as a function of the composition and degree of long-range order. Pseudopotential calculation of the – **2,** 1
**Spin** chain, fine structure of the impurity zone of a – **3,** 9
**Steel,** austenite-martensite, during plastic deformation. On the mutual influence of phases on structure changes in an – **5,** 38
– , case-hardened, influence of a magnetic field on the transformation of retained austenite in a – **5,** 167

– , chromium–manganese stainless. Influence of deformation temperature on the dislocation structure and phase composition of a – **3,** 179
– , cold rolled transformer, after decarburization annealing treatment. Mössbauer analysis of the atomic structure of – **3,** 189
– during tempering. On the role of relaxation processes in the volume changes of – **2,** 81
– , electrical engineering, strip. Influence of an electrical insulating coating on the response of magnetic losses to the elastoplastic bending of – **2,** 173
– , engineering, structure of packet martensite and localization of retained austenite in – **4,** 113
– , isothermally quenched. Influence of high-temperature deformation on the structure and properties of – **4,** 121
– , maraging, influence of cobalt on the solubility of Laves phase $Fe_2Mo$ in – **2,** 48
– , on interphase precipitates in a quenched low-carbon – **5,** 156
– , quenched, to delayed rupture. Adsorption of phosphorus on austenite grain boundaries and tendency of – **6,** 120
– , transformer, under the influence of a non-uniform normal pressure. Variations of the magnetic losses in – **1,** 30
**Steels** based on Fe+3% Cr. Features of the $\gamma \rightarrow \alpha$ transition in the critical range of the intermediate transformation in – **1,** 99
– , contribution of the martensitic transformation during deformation to the plasticity of metastable austenitic – **5,** 142
– , graphitized, with high damping parameters. Application of the method of mathematical experiment planning for the development of – **6,** 63
– , investigation of the structural peculiarities of the low tempered martensite of alloyed – **2,** 113
– , metastable austenitic, in tension. Peculiarities of the deformation of cylindrical specimens of – **5,** 136
– , on the magnetoelastic properties of plastically deformed iron and – **6,** 55
– , transition class, production, stability and influence of austenite on the mechanical properties of – **1,** 150
**Strains** of single-phase polycrystals measured by X-ray procedures. Interrelation of stresses with the – **3,** 128
Strength of a eutectic Ni–NbC composite. Influence of composition and conditions of crystallization on the microstructure and – **2,** 76
– tests of directionally crystallized eutectic Al–$CuAl_2$. Structural changes during – **3,** 90
**Strengthening** of a high-duty titanium alloy by thermomechanical treatment. Investigation of the – **1,** 115
– with allowance for the size distribution of defects **3,** 176
**Stress,** flow, on density of basal dislocations in zinc crystals in the range 1·5–300 K. Dependence of – **5,** 108
**Stresses** with strains interrelation of single-phase polycrystals measured by X-ray procedures **3,** 128
**Structural** changes during strength tests of directionally crystallized eutectic Al–$CuAl_2$ **3,** 90
– peculiarities of the low tempered martensite of alloyed steels. Investigation of the – **2,** 113

– transformations during thermomechanical treatment of beryllium bronze. Phase and – 3, 105
**Structure** and coalescence of particles of titanium, slicon and iron oxides in a copper matrix 1, 74
– and composition during the $\alpha \rightarrow \gamma$ transformation in alloy Fe–23·1% Ni. II. Influence of plastic deformation of martensite. Variations of – 3, 73
– and orientation, dependencies of the electromagnetic losses of locally deformed single crystals of Fe–1% Si 3, 57
–, and properties of alloy Fe–Ni–V–C after reverse $\alpha \rightarrow \gamma$ transformation. Influence of prior deformation on the – 2, 135
– and properties of isothermally quenched steel. Influence of high-temperature deformation on the – 4, 121
–, A15, X-ray $M_{IV,V}$-emission bands of niobium in $Nb_3X$ compounds (X = Ga, Os, Ir, Pt, Au) with – 6, 155
– changes in an austenite-martensite steel during plastic deformation. On the mutual influence of phases on – 5, 38
–, dislocation, and phase composition of a chromium–manganese stainless steel. Influence of deformation temperature on the – 3, 179
–, dislocation, of block boundaries in b.c.c. single crystals. Features of the – 1, 121
–, dislocation, of magnesium deformed by ultrasonic vibrations 5, 100
–, domain, and critical size of fine, magnetically equiaxial, ferromagnetic particles 4, 85
–, domain, of monocrystalline plates of compound $TbFe_2$, with surface plane 1, 34
–, electron, of alloys with long- and short-range order. A new method of calculating the – 2, 188
–, energy band, and density of states of titanium and vanadium monoxides 6, 1
–, equilibrium, of polycrystalline aluminium. Special grain boundaries in the – 5, 84
–, facetted, of $\{11\bar{2}\}$ twin boundaries in silver 2, 195
– features and magnetic properties of alloy FePt. Influence of plastic deformation on – 6, 47
–, fine crystalline, of the solid solutions of Ti–Mn and Ti–Mo alloys. Diffuse X-ray and electron scattering investigation of the – 2, 89
–, fine, of the impurity zone of a spin chain 3, 9
– formation during annealing of deformed alloys in which an ordered $Ni_3Al$ phase is precipitated during ageing 6, 95
– in ticonal. One- and two-dimensional modulated – 5, 173
– of niobium after tensile testing at a low rate under conditions of reactor irradiation. Investigation of the dislocation – 6, 165
– of packet martensite and localization of retained austenite in engineering steel 4, 113
–, α phase, of iron and iron–nickel alloys after polymorphic transformation under pressure 5, 77
– state of deformed molybdenum single crystals. Relation between dislocation dissociation and the – 5, 152
– transformation during deformation and tempering of alloy 40KKhNM 1, 92
– transformation in intermetallic compounds $V_2Zr$ and $V_2Hf$. Low-temperature – 6, 108
– transformations and mechanical properties of Al–Zn–Mg alloy. Influence of plastic deformation on – 3, 109

– transition point of $V_3Si$. Features of nuclear magnetic resonance and relaxation near the – **6,** 173
**Structures,** magnetic, symmetrical analysis of –. The single representation concept **6,** 10
– of vanadium single crystals. Rolling textures and – **1,** 87
**Substructure** of hot deformed molybdenum, and its influence on heat resistance **4,** 140
**Superdislocation** motion due to atoms in irregular positions. Resistance to – **2,** 142
**Superplasticity** of Al–Ge alloys **6,** 138
– of aluminium. Influence of impurities on the – **1,** 160
**Surface** plane {111}, domain structure of monocrystalline plates of compound $TbFe_2$, with – **1,** 34
– scattering, of conduction electrons in disordered metallic systems. On the theory of – **1,** 176
**Surfaces,** on the theory of adhesion of two metal – **2,** 18
**Susceptibility,** magnetic, and electron structure of iron, cobalt and nickel alloys. High-temperature – **4,** 51
– , magnetic, of crystals with strong *s–d* exchange [1] **4,** 195
**Swelling** of metals. Dose dependence of radiation creep and – **5,** 186
**Symmetrical** analysis of magnetic structures. The single representation concept **6,** 10
**System** copper–gold. Adsorption thermodynamics on grain boundaries in the – **6,** 75
– Cu–Al–Ni. On the rate dependence of the hysteresis loop width of the thermodynamic $\beta_1 \rightleftarrows \beta_1'$ transformation in the – **2,** 64
– , multicomponent, calculation of the constant diffusion coefficients in a – **1,** 192
– Ni–Al, ordering and instability of the phase in the – **6,** 115
– Ni–V, phase growth kinetics during mutual diffusion in the – **5,** 58
**Systems,** binary, on the interrelation of the phase diagrams of –. *f–d* elements of the periodic table **3,** 5
– , disordered metallic, on the theory of surface scattering of conduction electrons in – **4,** 176
– Er–Tb and Gd–Tb in the range 4·2 to 330°K. Elastic modulus, $\Delta E$ effect and internal friction of some rare-earth alloys of – **1,** 155
– with randomly distributed centres of interaction. On the molecular field distribution function in – **6,** 7

**Temperature** and structural state influencing the work hardening of molybdenum **1,** 129
– and the purity of a material on acoustic strengthening. Influence of – **3,** 161
– anomalies of the resistivity of transition metal alloys. Concerning the – **3,** 192
– dependence of the yield point of silver single crystals in the range 2–300 K **6,** 142
**Tempering** of alloy 40KKhNM. Structure transformations during deformation and – **1,** 92
– , on the role of relaxation processes in the volume changes of steel during – **2,** 81
**Tension,** peculiarities of the deformation of cylindrical specimens of metastable austenitic steels in – **5,** 136
**Texture,** crystallographic, in alloys Fe–3% Si varying in thickness, with sulphur inhibitors. Perfection of the – **1,** 164
– formation in Fe–Al alloys **6,** 159
**Textures,** rolling, and structures of vanadium single crystals **1,** 87
**Theory** of adhesion of two metal surfaces. On the – **2,** 18

– of impedance of a conductive ferromagnet. On the – 1, 1
– of surface scattering of conduction electrons in disordered metallic systems. On the – 4, 176
**Thermal** expansion of terbium–gadolinium alloys 1, 186
**Thermodynamic** functions of a crystal (molybdenum, tungsten, magnesium, zinc, cadmium). Determination of the density of phonon states from the – 5, 5
– $\beta_1 \rightleftarrows \beta_1'$ transformation in the system Cu–Al–Ni. On the rate dependence of the hysteresis loop width of the – 2, 64
**Thermodynamics,** adsorption, on grain boundaries in the system copper–gold 6, 75
– of grain noundaries 2, 59
**Thermodynamical** treatment. Characteristics of the extra magnetic noise of specimens of alloy 40NKM after different – 5, 164
– treatment. Investigation of the strengthening of a high-duty titanium alloy by – 1, 115
– treatment of beryllium bronze. Phase and structural transformations during – 3, 105
**Titanium** and vanadium monoxides. Energy band structure and density of states of – 6, 1
–, diffusion of beryllium in – 3, 182
– nickelide. Investigation of the imperfect elasticity of – 2, 161
–, silicon and iron oxides in a copper matrix. Structure and coalescence of particles of – 1, 74
**Transformation,** $\alpha \rightarrow \gamma$, in alloy Fe–23·1% Ni. Variation of structure and composition during the –. II. Influence of plastic deformation of martensite 3, 73
–, $\alpha \rightarrow \gamma$, influence of prior deformation on the structure and properties of alloy Fe–Ni–V–C after reverse – 2, 135
–, $\alpha \rightarrow \gamma$, in iron–nickel alloys. Concerning the mechanism of "slow" – 3, 84
– in steels based on Fe+3% Cr. Features of the $\gamma \rightarrow \alpha$ transition in the critical range of the intermediate – 1, 99
–, martensitic, acoustic emission investigation of the athermal – 1, 110
– of a weld of a zirconium alloy with 2·5% niobium during annealing after cycles of heat treatment 5, 175
– of retained austenite in a case-hardened steel. Influence of a magnetic field on the – 5, 167
–, phase, in Ti–Nb alloys exposed to shock waves 1, 181
–, polymorphic, under pressure. $\alpha$ Phase structure of iron and iron–nickel alloys after – 5, 77
–, structure, in intermetallic compounds $V_2Zr$ and $V_2Hf$. Low-temperature – 6, 108
–, thermodynamic $\beta_1 \rightleftarrows \beta_1'$, in the system Cu–Al–Ni. On the rate dependence of the hysteresis loop width of the – 2, 64
**Transformations,** phase and structural, during thermomechanical treatment of beryllium bronze 3, 105
–, structure, during deformation and tempering of alloy 40KKhNM 1, 92
**Transition** class steels. Production, stability and influence of austenite on the mechanical properties of – 1, 150
–, 3*d*, metals, anisotropy of spontaneous magnetization of some compounds of rare-earth and – 3, 44
–, $\gamma \rightarrow \alpha$, in the critical range of the intermediate transformation in steels based on Fe+3% Cr. Features of the – 1, 99

– metal alloys, concerning the temperature anomalies of the resistivity of – 3, 192
– metals, anharmonic components of the heat capacities of V and VI – 1, 53
– metals with aluminium. Investigation of the electron states of the conduction band in alloys of – 5, 161
– , order–disorder phase, in alloy $Au_3Cd$ 6, 82
– point of $V_3Si$. Features of nuclear magnetic resonance and relaxation near the structure – 6, 173
– stage of radiation creep. Vacancy loop contribution to the – 5, 124
**Transitions,** phase, accompanied by phase interaction. Peculiarities of – 3, 1
**Treatment,** decarburization annealing, Mössbauer analysis of the atomic structure of cold rolled transformer steel after – 3, 189
– , low-temperature, reversible changes of coercive force and of the structural state of alloy Sm–Co–Cu–Fe–Zr during – 5, 17
– , thermomechanical, investigation of the strengthening of a high-duty titanium alloy by – 1, 115
– , thermomechanical, of beryllium bronze. Phase and structural transformations during – 3, 105
**Twins,** influence of, on crack nucleation in Fe+3·25% Si with intensive associated glide 2, 165

**Ultrasonic** exposure influencing creep of cast alloy Al27 during step ageing 1, 146
– vibrations, dislocation structure of magnesium deformed by – 5, 100

**Vacancy** loop contribution to the transition stage of radiation creep 5, 124
**Vacancy–impurity** complexes influencing diffusion processes 6, 104
**Vanadium** and its solid solutions. Screw dislocations and microtwinning in – 5, 94
– and titanium monoxides. Energy band structure and density of states of – 6, 1
– , Fermi surface. thermal and optical masses in – 1, 11
– single crystals. Rolling textures and structures of – 1, 87
**Variations** of structure and composition during the $\alpha \rightarrow \gamma$ transformation in alloy Fe–23·1% Ni. II. Influence of plastic deformation of martensite 3, 73
– of the magnetic losses in transformer steel under the influence of a non-uniform normal pressure 1, 30
**Vibrations,** dislocation structure of magnesium deformed by ultrasonic – 5, 100
– , ultrasonic, on low-temperature dislocation internal friction in antimony. Influence of high-amplitude – 1, 142
**Void** between grains remains stable during diffusion growth in a polycrystal. Conditions under which a – 3, 157
– formation. Porosity and mechanical properties of alloy Mo–Zr–B after high-temperature neutron irradiation. I. Features of – 4, 135
**Volume** changes in a copper–beryllium alloy 2, 197
– changes of steel during tempering. On the role of relaxation processes in the – 2, 81
– diffusion of arsenic in nickel 5, 193
– diffusion of "silver" impurities in nickel 2, 107

**Waves,** shock, phase transformation in Ti–Nb alloys exposed to – 1, 181
**Weld,** transformation of a, of a zirconium alloy with 2·5% niobium during annealing after cycles of heat treatment 5, 175

**X-ray,** diffuse, and electron scattering investigation of the fine crystalline structure of the solid solutions of Ti–Mn and Ti–Mo **2,** 89
– $M_{IV, V}$-emission bands of niobium in $Nb_3X$ compounds (X = Ga, Os, Ir, Pt, Au) with A15 structure **6,** 155
– procedure. Interrelation of stresses with the strains of single-phase polycrystals measured by – **3,** 128
– , topographic, study of plastically deformed single crystals of aluminium **4,** 150

**Yttrium,** influence of hydrogen on the magnetic and electrical properties of – **4,** 196

**Zinc** crystals in the range 1·5–300 K. Dependence of flow stress on density of basal dislocations in – **5,** 108
– crystals, investigation of the interaction of basal dislocations with prismatic dislocation loops in – **3,** 167
– diffusion in aluminium. The possibility of a non-vacancy mechanism of boundary **4,** 189
**Zirconium** alloys, Investigation of the temperature dependence of the nuclear gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in – **5,** 12
– hydride, autoradiography study of hydrogen self-diffusion in – **2,** 103

# AUTOR INDEX

***Bold figures indicate the issue***


**Abakumova, V. D., Bokshteyn, S. Z., Orekhov, N. G., Razumovskiy, I. M.** and **Solov'yeva, G. G.** Microstructural peculiarities of cobalt deformed in the pre-transition range of temperature **6,** 148

**Abalikhin, A. V.** *See* **Mil'man, Yu. V., Rachek, A. P., Kurdyumov, G. G., Abalikhin, A. V.** and **Freze, N. I.** **2,** 69

**Adeyev, V. M.** and **Petrov, Yu. N.** Stacking fault energy of austenite in Fe–30% Ni–C alloys **6,** 128

**Adonkin, V. T.** *See* **Dekhtyar, I. Ya., Adonkin, V. T., Rustamov, Sh. A., Dekhtyar, M. I.** and **Sedov, Yu. A.** **2,** 54

**Agapova, Ye. V.** Features of nickel segregation in iron–nickel single crystals during dendritic-cellular crystallization **3,** 26

**Ageyev, N. V., Rubina, Ye. B., Babareka, A. A., Betsofen, S. Ya.** and **Bunin, L. A.** Characteristics of low-temperature plastic deformation and fracture of Ti–Al–Sn and Ti–Al–V alloys **3,** 121

**Akayev, A.** *See* **Vasil'yeva, R. P., Akayev, A.** and **Arkhipov, Yu. N.** **1,** 188

**Aksenov, V. K.** *See* **Gindin, L. A., Volchok, O. I.** and **Aksenov, V. K.** **3,** 161

**Aleksandrovich, S. V.** *See* **Ayvasov, M. I., Aleksandrovich, S. V., Yevseyev, B. A., Mkrtchyan, V. S.** and **Sorokin, V. N.** **1,** 174

**Aleshin, A. N.** and **Bokshteyn, B. S.** The possibility of a non-vacancy mechanism of boundary diffusion of zinc in aluminium **4,** 189

**Andreyev, A. K., Domin, V. A.** and **Shishkov, A. G.** Creep domains in thin film ferromagnetic tape **1,** 177

**Andrianov, D. G.** *See* **Posyado, V. P., Grachev, M. L., Andrianov, D. G.** and **Chuprikov, G. Ye.** **1,** 186

**Andriyevskiy, R. A., Boyko, Ye. B.** and **Solodinin, A. M.** Autoradiography study of hydrogen self-diffusion in zirconium hydride **2,** 103

**Anisimova, L. I., Makhev, Ye. S.** and **Popov, A. A.** Investigation of the strengthening of a high-duty titanium alloy by thermo-mechanical treatment **1,** 115

**Antonets, S. I.** and **Timochko, B. M.** Electron ordering in the generalized two-dimensional model of Hubbard **3,** 13

**Antonov, V. Ye., Belash, I. T., Ponyatovskiy, Ye. G.** and **Rashchupkin, V. I.** Resistivity of nickel, palladium and platinum at hydrogen pressures up to 67 kbar **1,** 60

**Aptekar, L. I.** Peculiarities of phase transitions accompanied by phase interaction **3,** 1

**Arkhangel'skaya, A. A., Litvinov, V. S.** and **Poleva, V. V.** Ordering and instability of the $\beta$ phase in the system Ni–Al **6,** 115

**Arkhipov, Yu. N.** *See* **Vasil'yeva, R. P., Akayev, A.** and **Arkhipov, Yu. N.** **1,** 188

**Arkhipov, Yu. N.** *See* **Vasil'yeva, R. P., Arkhipov, Yu. N., Kurbaniyazov, N. N.** and **Babayev, Kh. G.** **1,** 26

**Arkhipov, Yu. N.** *See* **Vasil'yeva, R. P., Narkulov, N. N., Fadin, V. P.** and **Arkhipov, Yu. N.** **3,** 192
**Atta, A.** *See* **Tyapunina, G. M., Zinenkova, G. M., Gasparyan, S. V.** and **Atta, A.** **5,** 100
**Ayvasov, M. I., Aleksandrovich, S. V., Yevseyev, B. A., Mkrtchyan, V. S.** and **Sorokin, V. N.** Magnetic properties of $Ce_xLa_{1-x}B_6$ solid solutions **1,** 174
**Azhazha, V. M.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** **4,** 91

**Babareka, A. A.** *See* **Ageyev, N. V., Rubina, Ye. B., Babareka, A. A., Betsofen, S. Ya.** and **Bunin, L. A.** **3,** 121
**Babayev, Kh. G.** *See* **Vasil'yeva, R. P., Arkhipov, Yu. N., Kurbaniyazov, N. N.** and **Babayev, Kh. G.** **1,** 26
**Babikova, Yu. F., Burchenkov, V. N., Gruzin, P. L., Ivanov, A. V.** and **Filippov, V. P.** Investigation of the temperature dependence of the nuclear gamma resonance spectral parameters of intermetallic $Zr_2Fe$ particles in zirconium alloys **5,** 12
**Babitsyna, A. A.** *See* **Koroleva, L. I., Tovmasyan, L. N., Shestakova, G. M., Kalinnikov, V. T.** and **Babitsyna, A. A.** **1,** 167
**Balankin, S. A., Gorbachev, L. P., Grigor'yev, Ye. G.** and **Skorov, D. M.** Conditions under which a void between grains remains stable during diffusion growth in a polycrystal **3,** 157
**Baranovskiy, A. N.** *See* **Romanova, R. R., Baranovskiy, A. N., Pushin, V. G.** and **Buynov, N. N.** **3,** 109
**Bashev, V. F.** *See* **Tkach, V. I., Bashev, V. F., Lysenko, A. B.** and **Miroshnichenko, I. S.** **1,** 183
**Bashkatov, A. N.** *See* **Ignatenko, Yu. G., Sidorenko, F. A., Gel'd, P. V., Kuranov, A. A.** and **Bashkatov, A. N.** **4,** 184
**Baynova, G. D.** *See* **Shemyakin, V. N., Klyushin, V. V.** and **Baynova, G. D.** **5,** 175
**Bayzul'din, B. M.** *See* **Kosevich, V. M.** and **Bayzul'din, B. M.** **2,** 195
**Bazelyuk, G. Ya., Trofimova, L. N.** and **Chuistov, K. V.** Ageing of alloy Al–2·8 wt.% Li in an ultrasonic field. Peculiarities of the precipitation process **5,** 53
**Belash, I. T.** *See* **Antonov, V. Ye., Belash, I. T., Ponyatovskiy, Ye. G.** and **Rashchupkin, V. I.** **1,** 60
**Belen'kiy, A. Ya.** Atomic displacements round an impurity and many-particle interactions in metals **4,** 181
**Belousov, N. N.** *See* **Kaygorodova, L. I., Komarova, M. F., Buynov, N. N., Belousov, N. N.** and **Kashevnik, L. Ya.** **6,** 66
**Belov, N. V.** *See* **Berzon, E. M., Smirnova, N. L., Kurazhkovskaya, V. S., Konyayev, Yu. S.** and **Belov, N. V.** **3,** 5
**Belyatskaya, I. S.** and **Sukhareva, Ye. A.** Magnetic properties of single crystals of all alloys Fe–Cr–Co and Fe–Cr–Co–Mo **4,** 72
**Berzon, E. M., Smirnova, N. L., Kurazhkovskaya, V. S., Konyayev, Yu. S.** and **Belov, N. V.** On the interrelation of the phase diagrams of binary systems. *f–d* elements of the periodic table **3,** 5
**Betsofen, S. Ya.** *See* **Ageyev, N. V., Rubina, Ye. B., Babareka, A. A. Betsofen, S. Ya.,** and **Bunin, L. A.** **3,** 121
**Blekher, B. E.** *See* **Brytov, I. A.** and **Blekher, B. E.** **5,** 161

**Bogdanov, V. I.** and **Fuks, D. L.** The covalence component of electron density and energy in metals with an f.c.c. lattice **5,** 1
**Bokshteyn, B. S., Klinger, L. M., Nikol'skiy, G. S., Fradkov, V. Ye.** and **Shvindlerman, L. S.** Adsorption thermodynamics on grain boundaries in the system copper–gold **6,** 75
**Bokshteyn, B. S.** *See* **Aleshin, A. N.** and **Bokshteyn, B. S.** **4,** 189
**Bokshteyn, S. Z.** *See* **Abakumova, V. D., Bokshteyn, S. Z., Orekhov, N. G., Razumovskiy, I. M.** and **Solov'yeva, G. G.** **6,** 148
**Borimskaya, S. T., Dubovitskaya, N. V., Kutikina, Zh. Ya.** and **Larikov, L. N.** Rolling textures and structures of vanadium single crystals **1,** 87
**Borimskaya, S. T., Dubovitskaya, N. V.** and **Larikov, L. N.** On the macroscopic heterogeneity of the plastic deformation of rolled molybdenum single crystals **2,** 148
**Borisov, A. B.** and **Shmatov, T. V.** Displacement field of a dislocation, moving in an elastically nonlinear medium **6,** 21
**Borodin, I. N.** *See* **Kornev, Yu. V., Sysoyev, V. Ya.** and **Borodin, I. N.** **3,** 31
**Borodkina, N. M., Brashevan, G. A.** and **Vladimirov, V. P.** Texture formation in Fe–Al alloys **6,** 159
**Boyko, Ye. B.** *See* **Andriyevskiy, R. A., Boyko, Ye. B.** and **Solodinin, A. M.** **2,** 103
**Brashevan, G. A.** *See* **Borodkina, N. M., Brashevan, G. A.** and **Vladimirov, V. P** **6,** 159
**Brytov, I. A.** and **Blekher, B. E.** Investigation of the electron states of the conduction band in alloys of transition metals with aluminium **5,** 161
**Bugakov, A. V.** *See* **Iyevlev, V. M., Kushchev, S. B.** and **Bugakov, A. V** **5,** 179
**Bukharov, M. V., Kolachevskaya, V. V., Kochalevskiy, N. N., Petrenko, E. D.** and **Puzey, I. M.** Characteristics of the extra magnetic noise of specimens of alloy 40NKM after different thermomechanical treatments **5,** 164
**Bunin, L. A.** *See* **Ageyev, N. V., Rubina, Ye. B., Babareka, A. A., Betsofen, S. Ya.** and **Bunin, L. A.** **3,** 121
**Burchenkov, V. N.** *See* **Babikova, Yu. F., Burchenkov, V. N., Gruzin, P. L., Ivanov, A. V.** and **Filippov, V. P.** **5,** 12
**Bushuyeva, G. V., Issa, Kh. M.** and **Predvoditelyev, A. A.** On the possibility of angular glissile dislocations in isotropic crystals **4,** 130
**Bushuyeva, G. V., Predvoditel'yev, A. A., Frolova, R. D.** and **Scharf, W.** Investigation of the interaction of basal dislocations with prismatic dislocation loops in zinc crystals **3,** 167
**Buynov, N. N.** *See* **Kaygorodova, L. I., Komarova, M. F., Buynov, N. N., Belousov, N. N.** and **Kashevnik, L. Ya.** **6,** 66
**Buynov, N. N.** *See* **Romanova, R. R., Baranovskiy, A. N., Pushin, V. G.** and **Buynov, N. N.** **3,** 109

**Charushnikova, G. A.** and **Chumakova, L. D.** Peculiarities of the crystal structure of the $\alpha$ martensite of iron–manganese alloys **5,** 43
**Chebotarev, V. A.** *See* **Yavor, A. A.** and **Chebotarev, V. A.** **3,** 152
**Cheremushkina, A. V.** *See* **Kondorskiy, Ye. I., Galkina, O. S., Cheremushkina, A. V.** and **Zakharova, I. N.** **5,** 196
**Cherepanov, A. N.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** **4,** 91
**Chernikov, A. S.** *See* **Markin, V. Ya., Savin, V. I.** and **Chernikov, A. S.** **4,** 196
**Chernov, Ya. B.** *See* **Yermakov, A. Ye., Sorokina, T. A., Tsurin, V. A., Lebedin, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** **6,** 47

**Chernyakova, L. Ye., Patseka, R. F., Vorontsov, N. M., Shugayenko, V. K.** and **Drapiko, P. Ye.** Phase and structural transformations during thermomechanical treatment of beryllium bronze **3,** 105
**Chesalov, M. M.** Static and dynamic isothermal elastic moduli **4,** 12
**Chevskaya, O. N.** *See* **Sarrak, V. I., Filippov, G. A., Chevskaya, O. N.** and **Litvinenko, D. A.** **6,** 120
**Chirkov, Yu. A.** *See* **Deryabin, A. V., Pislar', I. G.** and **Chirkov, Yu. A.** **2,** 192
**Chuistov, K. V.** *See* **Bazelyuk, G. Ya., Trofimova, L. N.** and **Chuistov, K. V.** **5,** 53
**Chumakova, L. D.** *See* **Charushnikova, G. A.** and **Chumakova, L. D.** **5,** 43
**Chuntonov, K. A.** *See* **Yatsenko, S. P., Zhakupov, Sh. R.** and **Chuntonov, K. A.** **5,** 22
**Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** High-temperature kinetic properties of palladium–silver alloys **3,** 19
**Chuprikov, G. Ye.** *See* **Posyado, V. P., Grachev, M. L., Andrianov, D. G.** and **Chuprikov, G. Ye.** **1,** 186

**Daneliya, Ye. P.** and **Teplitskiy, M. D.** Structure and coalescence of particles of titanium, silicon and iron oxides in a copper matrix **1,** 74
**Degtyareva, V. F.** *See* **Sikorov, V. N.** and **Degtyareva, V. F.** **1,** 181
**Dekhtyar, A. I., Kozyrskiy, G. Ya.** and **Kononenko, V. A.** Relation between dislocation dissociation and the structure state of deformed molybdenum single crystals **5,** 152
**Dekhtyar, I. Ya., Adonkin, V. T., Rustamov, Sh. A., Dekhtyar, M. I.** and **Sedov, Yu. A.** Positron annihilation in molybdenum single crystal with radiation damage **2,** 54
**Dekhtyar, M. I.** *See* **Dekhytar, I. Ya., Adonkin, V. T., Rustamov, Sh. A., Dekhtyar, M. I.** and **Sedov, Yu. A.** **2,** 54
**Deryabin, A. V., Pislar', I. G.** and **Chirkov, Yu. A.** Microhardness and heat capacity of iron–nickel–chromium alloys **2,** 192
**Deryagin, A. V.** *See* **Novikov, V. F., Dolgikh, Ye. V., Ul'yanov, A. I.** and **Deryagin, A. V.** **5,** 169
**Dichenko, A. B.** and **Nikolayev, V. V.** On the distribution of easy axes near an edge dislocation in a cubic ferromagnet **6,** 41
**Dmitriyev, N. A.** *See* **Gandel'man, G. M., Dmitriyev, N. A., Zhitnik, A. K.** and **Sarry, M. F.** **2,** 9
**Dmitriyeva, Ye. A.** *See* **Nizhnik, S. B.** and **Dmitriyeva, Ye. A.** **5,** 38
**Dobrovol'skaya, T. L., Neganov, L. M., Titov, P. V.** and **Khandros, L. G.** Reversible shape change in copper–aluminium alloys with addition of nickel and manganese **4,** 110
**Dobrovol'skaya, T. L., Yefimova, T. V., Polotnik., V. V., Titov, P. V.** and **Khandros, L. G.** Influence of the partial decomposition of the $\beta_1$ phase on the magnetic properties and martensitic transformation point of Cu–Al–Mn alloys **6,** 169
**Dolgikh, V. Ye.** *See* **Kurmayev, E. Z., Dolgikh, V. Ye., Yarmoshenko, Yu. M.** and **Nemnonov, S. A.** **6,** 155
**Dolgikh, Ye. V.** *See* **Novikov, V. F., Dolgikh, Ye. V., Ul'yanov, A. I.** and **Deryagin, A. V.** **5,** 169
**Dolgopolov, V. I.** *See* **Noskova, N. I.** and **Dolgopolov, V. I.** **5,** 94
**Domin, V. A.** *See* **Andreyev, A. K., Domin, V. A.** and **Shishkov, A. G.** **1,** 177
**Dorofeyev, G. A.** *See* **Litvinov., V. S., Dorofeyev, G. A.** and **Ovchinnikov, V. V.** **2,** 176
**Dorofeyev, G. A., Ovchinnikov, V. V., Segal, V. M.** and **Shestakova, G. A.** Mössbauer analysis of the atomic structure of cold rolled transformer steel after decarburization annealing treatment **3,** 189
**Dovgopol, S. P.** *See* **Singer, V. V., Dovgopol, S. P., Krokhin, A. L., Radovskiy, I. Z.** and **Gel'd, P. V.** **4,** 51

**Dragoshanskiy, Yu. N.** *See* **Starodubtsev, Yu. N.** and **Dragoshanskiy, Yu. N.** 5, 26
**Dragoshanskiy, Yu. N.** *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Tiunov, V. F., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 57
**Drapiko, P. Ye.** *See* **Chernyakova, L. Ye., Patsera, R. F., Vorontsov, N. M., Shugayenko, V. K.** and **Drapiko, P. Ye.** 3, 105
**Druzhinin, V. V.** *See* **Starodubtsev, Yu. N.** and **Druzhinin, V. V.** 2, 173
**Druzhinin, V. V.** *See* **Starodubtsev, Yu. N., Druzhinin, V. V., Segal', V. M., Gustomesov, V. A., Sokhina, Ye. I.** and **Prasova, T. I.** 1, 164
**Druzhinin, V. V.** *See* **Starodubtsev, Yu. N., Lykov, Ye. L.** and **Druzhinin, V. V.** 1, 30
**Dubinin, S. F., Vokhmyanin, A. P., Kelarev, V. V.** and **Sidorov, S. K.** Concerning the magnetic structure of disordered solid solutions of *d* transition metals with opposite exchange on the example of alloys $Mn_{1-c}Fe_cPt_3$ 4, 76
**Dubovitskaya, N. V.** *See* **Borimskaya, S. T., Dubovitskaya, N. V., Kutikina, Zh. Ya.** and **Larikov, L. N.** 1, 87
**Dubovitskaya, N. V.** *See* **Borimskaya, S. T., Dubovitskaya, N. V.** and **Larikov, L. N.** 2, 148
**Dubovtsev, I. A.** and **Filippova, N. P.** Mössbauer investigation of electromagnetic excitation of sound in monolayer metal films 2, 30
**Dubovtsev, I. A.** and **Filippova, N. P.** Mössbauer investigation of the electromagnetic excitation of sound in paramagnetic metals 2, 25
**Dudarev, Ye. F.** *See* **Rudchenko, V. V.** and **Dudarev, Ye. F.** 6, 175
**Dudarev, Ye. F.** *See* **Rudchenko, V. V., Dudarev, Ye. F., Yu Kong Hsui** and **Glazyrina, M. I.** 1, 134
**Dyakina, V. P.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** 4, 91
**D'yakonova, N. B.** and **Lyasotskiy, I. V.** Diffuse X-ray and electron scattering investigation of the fine crystalline structure of the solid solutions of Ti–Mn alloys 2, 89

**Estrin, E. I.** *See* **Moiseyev, A. N., Polyakov, Ye. V., Usikov, M. P.** and **Estrin, E. I.** 5, 77
**Eterashvili, T. V., Utevskiy, L. M.** and **Spasskiy, M. N.** Structure of packet martensite and localization of retained austenite in engineering steel 4, 113

**Fadin, V. P.** *See* **Vasil'yeva, R. P., Narkulov, N. N., Fadin, V. P.** and **Arkhipov, Yu. N.** 3, 192
**Fadin, V. P.** *See* **Yegoruskhin, V. Ye., Kul'ment'yev, A. I., Nazhalov, A. I.** and **Fadin, V. P.** 2, 188
**Fedorov, V. A.** *See* **Finkel', V. M., Korolev, A. P., Savel'yev, A. M.** and **Fedorov, V. A.** 2, 165
**Fedosov, V. N.** Influence of a demagnetizing field on the mobility of magnetic domain boundaries 4, 186
**Fedyayeva, L. G.** *See* **Gnesin, B. A., Karpov, M. I., Fedyayeva, L. G.** and **Yashnikov, V. P.** 6, 88
**Filatov, V. I.** *See* **Smirnov, M. A., Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ye. I.** 4, 121
**Filipov, B. N.** *See* **Yermakov, A. Ye., Sorokina, T. A., Tsurin, V. A., Lebedev, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** 6, 47
**Filippov, G. A.** *See* **Sarrak, V. I., Filippov, G. A., Chevskaya, O. N.** and **Litvinenko, D. A.** 6, 120
**Filippov, V. P.** *See* **Babikova, Yu. F., Burchenkov, V. N., Gruzin, P. L., Ivanov, A. V.** and **Filippov, V. P.** 5, 12
**Filippova, N. P.** *See* **Dubovtsev, I. A.** and **Filippova, N. P.** 2, 25

**Filippova, N. P. Dubovtsev, I. A.** and **Filippova, N. P.** 2, 30
**Finkel', V. M., Korolev, A. P., Savel'yev, A. M.** and **Fedorov, V. A.** Influence of twins on crack nucleation in Fe+3·25% Si with intensive associated glide 2, 165
**Fionova, L. K.** Special grain boundaries in the equilibrium structure of polycrystalline aluminium 5, 84
**Firstov, S. A.** *See* **Perepelkin, A. V., Sarzhan, G. F., Firstov, S. A.** and **Kurdyumova, G. G.** 3, 116
**Fokina, Ye. A.** *See* **Smirnov, L. V., Fokina, Ye. A.** and **Olesov, V. N.** 5, 167
**Fradkov, V. Ye.** *See* **Bokshteyn, B. S., Klinger, L. M., Nikol'skiy, G. S., Fradkov, V. Ye.** and **Shvindlerman, L. S.** 6, 75
6, 75
**Fradkov, V. Ye.** and **Shvindlerman, L. S.** Thermodynamics of grain boundaries 2, 59
**Freze, N. I.** *See* **Mil'man, Yu. V., Rachek, A. P., Kurdyumov, G. G., Abalikhin, A. V.** and **Freze, N. I.** 2, 69
**Fridman, A. A.** and **Pashkov, P. P.** One- and two-dimensional modulated structure in ticonal 5, 173
**Frolova, R. D.,** *See* **Bushuyeva, G. V., Predvoditel'yev, A. A., Frolova, R. D.** and **Scharf, W.** 3, 167
**Fuks, D. L.** *See* **Bogdanov, V. I.** and **Fuks D. L.** 5, 1

**Galkina, O. S.** *See* **Kondorskiy, Ye. I., Galkina, O. S., Cheremushkina, A. V.** and **Zakharova, I. N.** 5, 196
**Gandel'man, G. M,. Dmitriyev, N. A., Zhitnik, A. K.** and **Sarry, M. F.** Correlation effects and ferromagnetism 2, 9
**G asparyan, S. V.** *See* **Tyapunina, N. A., Zinenkova, G. M., Gasparyan, S. V.** and **Atta, A.** 5, 100
**Gaydukov, M. G.** *See* **Vil'danova, N. F., Gaydukov, M. G., Noskova, N. I.** and **Pavlov, V. A.** 1, 146
**Gel'd, P. V.** *See* **Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** 3, 19
**Gel'd, P. V.** *See* **Ignatenko, Yu. G., Sidorenko, F. A., Gel'd P. V., Kuranov, A. A.** and **Bashkatov, A. N.** 4, 184
**Gel'd, P. V.** *See* **Singer, V. V., Dovgopol, S. P., Krokhin, A. L., Radovskiy, I. Z.** and **Gel'd, P. V.** 4, 51
**Gindin, I. A., Starodubov, Ya. D., Starolat, M. P.** and **Khaymovich, P. A.** Features of the defect structure of low-temperature extruded copper 5, 89
**Gindin, I. A., Volchok, O. I.** and **Aksenov, V. K.** Influence of temperature and the purity of a material on acoustic strengthening 3, 161
**Gitgarts, M. I.** and **Tolstoy, A. V.** Volume changes in a copper–beryllium alloy 2, 197
**Gitsu, D. V., Makeychik, A. I., Muntyanu, F. M.** and **Onu, M. I.** Magneto-thermo e.m.f. arsenic–antimony alloys 3, 186
**Gladkov, V. P.** *See* **Shabalin, A. N., Gladkov, V. P. Gruzin, P. L.** and **Svetlov, A. V.** 3, 182
**Gladkov, V. P., Svetlov, A. V., Skorov, D. M.** and **Shabalin, A. N.** Cobalt diffusion in beryllium 4, 170
**Glazer, A. A., Potapov, A. P., Serikov, V. V., Tagirov, R. I., Teytel', Ye. I., Makarova, G. M.** and **Kleynerman, N. M.** Influence of crystallization on the magnetic properties of the amorphous alloy $Fe_5Co_{70}Si_{15}B_{10}$ 6, 33
**Glazyrina, M. I.** *See* **Rudchenko, V. V., Dudarev, Ye. F., Yu Kong Hsui** and **Glazyrina, M. I.** 1, 134
**Glezer, A. M.** *See* **Vasil'yev, V. R., Glezer, A. M., Zakharov, Ye. K., Pastukhova, Zn. P.**

and **Rakhshtadt, A. G.** 1, 92

**Gnesin, B. A., Karpov, M. I., Fedyayeva, L. G.** and **Yashnikov, V. P.** Dependence of orientation distribution function on cold rolling reduction of molybdenum 6, 88

**Golovin, V. N.** *See* **Somov, A. I., Tikhonovskiy, M. A., Oleksiyenko, M. M.** and **Golovin, V. N.** 2, 76

**Golubev, V. G., Zakharov, P. N.** and **Mokrov, A. P.** Calculation of the constant diffusion cofficients in a multicomponent system 1, 192

**Gorbachev, L. P.** *See* **Balankin, S. A., Gorbachev, L. P., Grigor'yev, Ye. G.** and **Skorov, D. M.** 3, 157

**Gorbatov, G. Z.** Growth of a dislocation loop on formation of mobile point defect-impurity atom complexes 1, 81

**Gorobey, N. N.** *See* **Vladimirov, V. I., Kusov, A. A.** and **Gorobey, N. N.** 2, 154

**Gorokhov, Yu. V.** and **Potomkin, V. V.** Low-temperature depression of the magnetic noise of oxide films 2, 178

**Goshchitskiy, B. N.** Radiation effects in superconductive materials 4, 26

**Grachev, M. L.** *See* **Posyado, V. P., Grachev, M. L., Andrianov, D. G.** and **Chuprikov, G. Ye.** 1, 186

**Grebennikov, V. I.** *See* **Matveyev, Yu. A., Grebennikov, V. I.** and **Sokolov, O. B.** 1, 64

**Grigor'yev, Ye. G.** *See* **Balankin, S. A., Gorbachev, L. P., Grigor'yev, Ye. G.** and **Skorov, D. M.** 3, 157

**Grikurov, G. N., Petrov, Yu. N.** and **Ryzhkov, Yu. T.** Influence of deformation temperature on the dislocation structure and phase composition of a chromium–manganese stainless steel 3, 179

**Grinberg, N. M.** *See* **Verkin, B. I., Grinberg, N. M., Lyubarskiy, I. M., Pustovalov, V. V.** and **Yakovenko, L. F.** 6, 151

**Gruzin, P. L.** *See* **Babikova, Yu. F., Burchenkov, V. N., Gruzin, P. L., Ivanov, A. V.** and **Filippov, V. P.** 5, 12

**Gruzin, P. L.** *See* **Shabalin, A. N., Gladkov, V. P., Gruzin, P. L.** and **Svetlov, A. V.** 3, 182

**Gubernatorov, V. V.** *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Tiunov, V. F., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 57

**Gurov, K. P.** *See* **Khlomov, V. S., Ugaste, Yu. E., Pimenov, V. N.** and **Gurov, K. P.** 5, 58

**Gurov, K. P.** *See* **Neverov, V. I., Pimenov, V. N.** and **Gurov, K. P.** 2, 98

**Gustomesov, V. A.** *See* **Starodubtsev, Yu. N., Druzhinin, V. V., Segal', V. M., Gustomesov, V. A., Sokhina, Ye. I.** and **Prasova, T. I.** 1, 164

**Ibragimov, Sh. Sh., Kirsanov, V. V.** and **Tyupkina, O. G.** Strengthening with allowance for the size distribution of defects 3, 176

**Ibragimov, Sh. Sh.** and **Pyatiletov, Yu. S.** Vacancy loop contribution to the transition stage of radiation creep 5, 124

**Ignatenko, Yu. G., Sidorenko, F. A., Gel'd, P. V., Kuranov, A. A.** and **Bashkatov, A. N.** Resistivity of ordering alloys $PdFe_{1-x}Cr_x$ 4, 184

**Ikonnikov, V. I., Usikov, M. P., Utevskiy, L. M.** and **Malova, R. P.** Crystalgeometrical features on the precipitation of cementite during decomposition of high-carbon martensite 3, 66

**Ilyushchenko, N. G.** *See* **Yermakov, A. Ye., Sorokina, T. A., Tsurin, V. A., Lebedev, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** 6 47

**Isfandiyarov, G. G.** *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Sarsenbin, O. S.** 5, 67
**Issa, Kh. M.** *See* **Bushuyeva, G. V., Issa, Kh. M.** and **Predvoditelev, A. A.** 4, 130
**Ivakin, Yu. P.** *See* **Yastrebkov, A. A., Repiy, V. A.** and **Ivakin, Yu. P.** 6, 167
**Ivanchenko, V. G.** *See* **Khodosov, Ye. F., Linnik, A. I., Korzenko, G. F.** and **Ivanchenko, V. G.** 5, 183
**Ivanov, A. V.** *See* **Babikova, Yu. F., Burchenkov, V. N., Gruzin, P. L., Ivanov, A. V.** and **Filippov, V. P.** 5, 12
**Ivanov, M. A.** and **Kvashina, L. B.** Influence of crystal lattice defects on the axial shadow picture 4, 158
**Ivanov, Yu. F.** *See* **Seregin, G. V., Ivanov, Yu. F.** and **Sukhovarov, V. F.** 6, 95
**Ivashchenko, R. K., Mil'man, Yu. V.** and **Shchepanskiy, Ye. S.** Influence of temperature and structural state on the work hardening of molybdenum 1, 129
**Iyevlev, V. M., Kushchev, S. B.** and **Bugakov, A. V.** Relation between the critical depth of pseudomorphous film growth and the dimensions of the base 5, 179
**Izotov, V. I.** and **Kozlov, A. P.** Influence of prior deformation on the structure and properties of alloy Fe–Ni–V–C after reverse $\alpha \rightarrow \gamma$ transformation 2, 135

**Kalinnikov, V. T.** *See* **Koroleva, L. I., Tovmasyan, L. N., Shestakova, G. M., Kalinnikov, V. T.** and **Babitsyna, A. A.** 1, 167
**Kandaurova, G. S.** and **Lagutin, A. Ye.** Domain structure of monocrystalline plates of compound $TbFe_2$, with surface plane {111} 1, 34
**Kardonskiy, V. M.** Concerning the mechanism of "slow" $\alpha \rightarrow \gamma$ transformation in iron–nickel alloys 3, 84
**Karpenko, B. V.** and **Kuznetsov, A. V.** A note on the article "Magnetic susceptibility of crystals with strong *s–d* exchange" [1] 4, 195
**Karpov, M. I.** *See* **Gnesin, B. A., Karpov, M. I., Fedyayeva, L. G.** and **Yashnikov, V. P.** 6, 88
**Karpov, Yu. G., Sidorenko, F. A., Slobodenyuk, V. V., Syutkin, P. N.** and **Kuranov, A. A.** Influence of atomic ordering on the magnetic properties and resistivity of the alloy $Fe_{25}Pd_{50}Au_{25}$ 3, 38
**Kartavenko, V. Ye., Likhachev, V. A.** and **Masterova, M. V.** Investigation of the imperfect elasticity of titanium nickelide 2, 161
**Kashevnik, L. Ya.** *See* **Kaygorodova, L. I., Komarova, M. F., Buynov, N. N., Belousov, N. N.** and **Kashevnik, L. Ya.** 6, 66
**Kasyutin, V. Ya.** *See* **Pogorelyy, A. N.** and **Kasyutin, V. Ya.** 2, 190
**Katayev, G. I.** and **Shubin, V.V.** Elastic modulus $\Delta E$ effect and internal friction of some rare-earth alloys of systems Er–Tb and Gd–Tb in the range 4·2 to 330°K 1, 155
**Kaum, S. D.** and **Krasnyy, Yu. P.** On the theory of surface scattering on conduction electrons in disordered metallic systems 4, 176
**Kaygorodov, V. N.** *See* **Vladimirov, A. B., Kaygorodov, V. N., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** 2, 107
**Kaygorodova, L. I., Komarova, M. F., Buynov, N. N., Belousov, N. N.** and **Kashevnik, L. Ya.** The ageing of alloy AL24M and Al–3·5% Zn–4% Mg 6, 66
**Kazakov, V. A.** *See* **Pokrovskiy, A. S., Kazakov, V. A., Smirnov, A. V.** and **Malkov, V. V.** 4, 135
**Kazakov, V. S., Pokrovskiy, A. S.** and **Smirnov, A. V.** Porosity and mechanical properties of alloy Mo–Zr–B after high-temperature neutron irradiation. II. Dependence of strengthening and embrittlement of the size and density of voids 5, 118

**Kazakovtseva, V. A.** and **Usikov, M. P.** Investigation of the structural peculiarities of the low tempered martensite of alloyed steels **2,** 113
**Kelarev, V. V.** *See* **Dubinin, S. F., Vokhmyanin, A. P., Kelarev, V.V.** and **Sidorov, S. K.** **4,** 76
**Khandros, L. G.** *See* **Dobrovol'skaya, T. L., Neganov, L. M., Titov, P. V.** and **Khandros, L. G.** **4,** 110
**Khandros, L. G.** *See* **Dobrovol'skaya, T. L., Yefimova, T. V., Polotnik, V. V., Titov, P. V.** and **Khandros, L. G.** **6,** 169
**Khandros, L. G.** *See* **Koval', Yu. N., Kokorin, V. V.** and **Khandros, L. G.** **6,** 162
**Khandros, L. G.** *See* **Lobodyuk, V. A., Tkachuk, V. K.** and **Khandros, L. G.** **4,** 178
**Kharitonskiy, S. Ya.** *See* **Pogorelyy, A. N., Lesnik, N. A.** and **Kharitonskiy, S. Ya.** **5,** 200
**Khaymovich, P. A.** *See* **Gindin, I. A., Starodubov, Ya. D., Starolat, M. P.** and **Khaymovich, P. A.** **5,** 89
**Khlomov, V. S., Ugaste, Yu. E., Pimenov, V. N.** and **Gurov, K. P.** Phase growth kinetics during mutual diffusion in the system Ni–V **5,** 58
**Khodos, I. I.** *See* **Myshlyayev, M. M., Khodos, I. I. Sen'kov, O. N.** and **Romanov, Yu. A.** **1,** 121
**Khodosov, Ye. F., Linnik, A. I., Korzenko, G. F.** and **Ivanchenko, V. G.** Nuclear magnetic resonance in compounds $LaNi_5$–H containing small additions of chromium **5,** 183
**Khotkevich, V. I.** *See* **Lebedev, V. P., Khotkevich, V. I., Krylovskiy, V. S.** and **Philips, A. H.** **5,** 188
**Khrabrov, V. I.** *See* **Magat, L. M.** and **Khrabrov, V. I.** **6,** 178
**Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** Reversible changes of coercive force and of the structural state of alloy Sm–Co–Cu–Fe–Zr during low-temperature treatment **5,** 17
**Kirsanov, V. V.** *See* **Ibragimov, Sh. Sh., Kirsanov, V. V.** and **Tyupkina, O. G.** **3,** 176
**Kissil', A. Ye.** *See* **Loguntsev, Ye. N., Nalesnik, V. M., Klimachev, V. N., Kovalev, I. N.** and **Kissil', A. Ye.** **6,** 165
**Kleynerman, N. M.** *See* **Glazer, A. A., Potapov, A. P., Serikov, V. V., Tagirov, R. I., Teytel', Ye. I., Makarova, G. M.** and **Kleynerman, N. M.** **6,** 33
**Klimachev, V. N.** *See* **Loguntsev, Ye. N., Nalesnik, V. M., Klimachev, V. N., Kovalev, I. N,** and **Kissil', A. Ye.** **6,** 165
**Klinger, L. M.** *See* **Bokshteyn, B. S., Klinger, L. M., Nikol'skiy, G. S., Fradkov, V. Ye.** and **Shvindlerman, L. S.** **6,** 75
**Klotsman, S. M.** *See* **Vladimirov, A. B., Kaygorodov, V. N., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 107
**Klotsman, S. M.** *See* **Vladimirov, A. B., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **5,** 193
**Klyushin, V. V.** *See* **Shemyakin, V. N., Klyushin, V. V.** and **Baynova, G. D.** **5,** 175
**Kobelev, A. V., Kobeleva, R. M.** and **Ukhov, V. F.** On the theory of adhesion of two metal surfaces **2,** 18
**Kobeleva, R. M.** *See* **Kobelev, A. V., Kobeleva, R. M.** and **Ukhov, V. F.** **2,** 18
**Kochalevskiy, N. N.** *See* **Buhkarov, M. V., Kolachevskaya, V. V., Kochalevskiy, N. N., Petrenko, E. D.** and **Puzey, I. M.** **5,** 164
**Kokhanchik, L. S.** *See* **Kopetskiy, Ch. V.** and **Kokhanchik, L. S.** **2,** 121
**Kokorin, V. V.** *See* **Koval', Yu. N., Kokorin, V. V.** and **Khandros, L. G.** **6,** 162
**Kokorin, V. V.** and **Perekos, A. Ye.** Macrospin glass formation in decomposed solid solutions **4,** 64
**Kolachevskaya, V. V.** *See* **Sukharov, M. V., Kolachevskaya, V. V., Kochalevskiy, N. N., Petrenko, E. D.** and **Puzey, I. M.** **5,** 164

**Komarova, M. F.** *See* **Kaygorodova, L. I., Komarova, M. F., Buynov, N. N., Belousov, N. N.** and **Kashevnik, L. Ya.** 6, 66

**Komnick, S. N., Ponomarenko, I. T.** and **Startsev, V. I.** Low-temperature mechanical properties of fine-grain Zn–Al alloys 3, 145

**Kondorskiy, Ye. I., Galkina, O. S., Cheremushkina, A. V.** and **Zakharova, I. N.** Peculiarities of the Hall effect in holmium and holmium–samarium alloys at low tmeperature 5, 196

**Kondorskiy, Ye. I., Kostina, T. I., Medvedchikov, V. P.** and **Kuskova, Yu. A.** Magnetic properties of chromium–nickel and chromium–vanadium alloys 6, 27

**Kondratov, V. M., Semenovskikh, V. M.** and **Skvortsov, A. I.** Application of the method of mathematical experiment planning for the development of graphitized steels with high damping parameters 6, 63

**Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** Influence of degree of long-range order on work hardening of mono- and polycrystalline alloy $Ni_3Fe$ 3, 138

**Kononenko, V. A.** *See* **Dekhtyar, A. I., Kozyrskiy, G. Ya.** and **Kononenko, V. A.** 5, 152

**Konoplenko, V. P.** *See* **Vaynblat, Yu. M., Novikov, V. V.** and **Konoplenko, V. P.** 4, 140

**Konyayev, Yu. S.** *See* **Berzon, E. M., Smirnova, N. L., Kurazhkovskaya, V. S., Konyayev, Yu. S.** and **Belov, N. V.** 3, 5

**Kopetskiy, Ch. V.** and **Kokhanchik, L. S.** Recrystallization of high-purity copper during annealing in a high-voltage electron microscope 2, 121

**Kornev, Yu. V., Sysoyev, V. Ya.** and **Borodin, I. N.** Pulsed remagnetization of thin magnetic fields in the amplitude range of ferromagnetic resonance 3, 31

**Korolev, A. P.** *See* **Finkel', V. M., Korolev, A. P., Savel'yev, A. M.** and **Fedorov, V. A.** 2, 165

**Koroleva, L. I., Tovmasyan, L. N., Shestakova, G. M., Kalinnikov, V. T.** and **Babitsyna, A. A.** Features of the electrical properties of compound $CuC_{32}Se_{4-x}Br_x (0{\cdot}1 \leqslant x \leqslant 0{\cdot}6)$ 1, 167

**Korotayev, A. D.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** 3, 138

**Korshunov, V. A.** Anharmonic components of the heat capacities of V and VI transition metals 1, 53

**Korshunov, V. A.** and **Tanana, V. P.** Determination of the density of phonon states from the thermodynamic functions of a crystal (molybdenum, tungsten, magnesium, zinc, cadmium) 5, 5

**Korzenko, G. F.** *See* **Khodosov, Ye. F., Linnik, A. I., Korzenko, G. F.** and **Ivanchenko, V. G.** 5, 183

**Kosevich, V. M.** and **Bayzul'din, B. M.** Facetted structure of $\{11\bar{2}\}$ twin boundaries in silver 2, 195

**Koshkarev, G. S.** *See* **Pletenetskiy, G. Ye., Koshkarev, G. S.** and **Tikhinskiy, G. F.** 4, 192

**Kosilov, A. T.** and **Vasilenko, A. Yu.** On the rate dependence of the hysteresis loop width of the thermodynamic $\beta_1 \rightleftarrows \beta_1'$ transformation in the system Cu–Al–Ni 2, 64

**Kostina, T. I.** *See* **Kondorskiy, Ye. I., Kostina, T. I., Medvedchikov, V. P.** and **Kuskova, Yu. A.** 6, 27

**Kovacova, K.** Analysis of the mechanical properties of directionally crystallized ternary alloys Al–Ni–Co and Al–Ni–Si 5, 130

**Koval', Yu. N., Kokorin, V. V.** and **Khandros, L. G.** Shape memory effect in Fe–Ni–Co–Ti alloys 6, 162

**Kovalev, I. N.** *See* **Loguntsev, Ye. N., Nalesnik, V. M., Klimachev, V. N., Kovalev, I. N.** and **Kissil', A. Ye.** 6, 165

**Kovtun, G. P.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** 4, 91
**Kozhanov, V. N., Romanov, Ye. P., Verkhovskiy, S. V.** and **Stepanov, A. P.** Low-temperature structure transformation in intermetallic compounds $V_2Zr$ and $V_2Hf$ 6, 108
**Kozlov, A. P.** *See* **Izotov, V. I.** and **Kozlov, A. P.** 2, 135
**Kozlov, E. V.** *See* **Koneva, N. A., Teplyakova, L. A., Starechenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** 3, 138
**Kozlov, E. V.** and **Starenchenko, S. V.** Order–disorder phase transition in alloy $Au_3Gd$ 6, 82
**Kozlova, O. S.** and **Makarov, V. A.** Mössbauer study of the austenite of alloy Fe–Al–C 5, 63
**Kozyrskiy, G. Ya.** *See* **Dekhtyar, A. I., Kozyrskiy, G. Ya.** and **Kononenko, V. A.** 5, 152
**Krasnyy, Yu. P.** *See* **Kaum, S. D.** and **Krasnyy, Yu. P.** 4, 176
**Krokhin, A. L.** *See* **Singer, V. V., Dovgopol, S. P., Krokhin, A. L., Radovskiy, I. Z.** and **Gel'd, P. V.** 4, 51
**Krylovskiy, V. S.** *See* **Lebedev, V. P., Khotkevich, V. I., Krylovskiy, V. S.** and **Philips, A. H.** 5, 188
**Krysov, V. I.** *See* **Malyuk, T. I.** and **Krysov, V. I.** 5, 159
**Kudinov, G. M., Lyubov, B. Ya.** and **Shmakov, V. A.** Influence of vacancy–impurity complexes on diffusion processes 6, 104
**Kulenin, A. V., Solov'yev, V. A., Zambrzhitskiy, V. N.** and **Zhiryakov, V. V.** Acoustic emission investigation of the thermal martensitic transformation 1, 110
**Kul'ment'yev, A. I.** *See* **Yegorushkin, V. Ye., Kul'ment'yev, A. I., Nazhalov, A. I.** and **Fadin V. F.** 2, 188
**Kuranov, A. A.** *See* **Ignatenko, Yu. G., Sidorenko, F. A., Gel'd, P. V., Kuranov, A. A.** and **Bashkatov, A. N.** 4, 184
**Kuranov, A. A.** *See* **Karpov, Yu. G., Sidorenko, F. A., Slobodenyuk, V. V., Syutkin, P. N.** and **Kuranov, A. A.** 3, 38
**Kurazhovskaya, V. S.** *See* **Berzon, E. M., Smirnova, N. L., Kurazhkovskaya, V. S., Konyayev, Yu. S.** and **Belov, N. V.** 3, 5
**Kurbaniyazov, N. N.** *See* **Vasil'yeva, R. P., Arkhipov, Yu. N., Kurbaniyazov, N. N.** and **Babayev, Kh. G.** 1, 26
**Kurdyumov, G. G.** *See* **Mil'man, Yu. V., Rachek, A. P., Kurdyumov, G. G., Abalikhin, A. V.** and **Freze, N. I.** 2, 69
**Kurdyumova, G. G.** *See* **Perepelkin, A. V., Sarzhan, G. F., Firstov, S. A.** and **Kurdyumova, G. G.** 3, 116
**Kurmayev, E. Z., Dolgikh, V. Ye., Yarmoshenko, Yu. M.,** and **Nemnonov, S. A.** X-ray $M_{IV,\,V}$-emission bands of niobium in $Nb_3X$ compounds (X = Ga, Os, Ir, Pt, Au) with A15 structure 6, 155
**Kushchev, S. B.** *See* **Iyevlev, V. M., Kushchev, S. B.** and **Bugakov, A. V.** 5, 179
**Kuskova, Yu. A.** *See* **Kondorskiy, Ye. I., Kostina, T. I., Medvedchikov, V. P.** and **Kuskova, Yu. A.** 6, 27
**Kusov, A. A.** *See* **Vladimirov, V. I., Kusov, A. A.** and **Gorobey, N. N.** 2, 154
**Kutikina, Zh. Ya.** *See* **Borimskaya, S. T., Dubovitskaya, N. V., Kutikina, Zh. Ya.** and **Larikov, L. N.** 1, 87
**Kuz'min, S. L., Likhachev, V. A., Myshlyayev, M. M., Nikonov, Yu. A.** and **Sen'kov, O. N.** Influence of impurities on the superelasticity of aluminium 1, 160
**Kuznetsov, A. V** *See* **Karpenko, B. V.** and **Kuznetsov, A. V.** 4, 195
**Kuznetsov, V. Yu.** *See* **Morozov, O. P., Shteynberg, M. M.** and **Kuznetsov, V. Yu.** 1, 99

**Kuznetsova, R. I.** *See* **Zhukov, N. N., Kuznetsova, R. I.** and **Poyda, V. P.** 6, 138
**Kvashina, L. B.** *See* **Ivanov, M. A.** and **Kvashina, L. B.** 4, 158

**Lagutin, A. Ye.** *See* **Kandaurova, G. S.** and **Lagutin, A. Ye.** 1, 34
**Larikov, L. N.** *See* **Borimskaya, S. T., Dubovitskaya, N. V., Kutikina, Zh. Ya.** and **Larikov L. N.** 1, 87
**Larikov, L. N.** *See* **Borimskaya, S. T., Dubovitskaya, N. V.** and **Larikov, L. N.** 2, 148
**Lavrent'yev, F. F., Salita, O. P.** and **Shutyayev, P. D.** Dependence of flow stress on density of basal dislocations in zinc crystals in the range 1·5–300 K 5, 108
**Lebedev, V. P., Khotkevich, V. I., Krylovskiy, V. S.** and **Philips, A. H.** Deformation of nickel in a steady magnetic field 5, 188
**Lebedev, Yu. G.** *See* **Yermakov, A. Ye., Sorokina, T. A., Tsurin, V. A., Lebedev, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** 6, 47
**Lesnik, N. A.** *See* **Pogorelyy, A. N., Lesnik, N. A.** and **Kharitonskiy, S. Ya.** 5, 200
**Letova, T. N.** *See* **Telesnin, R. V., Zavartsev, Yu. D., Letova, T. N., M. Liu Fa-Ch'ung, Sarayeva, I. M.** and **Shpin'kov, N. I.** 2, 184
**Likhachev, V. A.** *See* **Kartavenko, V. Ye., Likhachev, V. A.** and **Masterova, M. V.** 2, 161
**Likhachev, V. A.** *See* **Kuz'min, S. L., Likhachev, V. A., Myshlyayev, M. M., Nikonov, Yu. A.** and **Sen'kov, O. N.** 1, 160
**Linnik, A. I.** *See* **Khodosov, Ye. F., Linnik, A. I., Korzenko, G. P.** and **Ivanchenko, V. G.** 5, 183
**Litvinenko, D. A.** *See* **Sarrak, V. I., Filippov, G. A., Chevskaya, O. N.** and **Litvinenko, D. A.** 6, 120
**Litvinov, V. S.** *See* **Arkhangel'skaya, A. A., Litvinov, V. S.** and **Poleva, V. V.** 6, 115
**Litvinov, V. S., Dorofeyev, G. A.** and **Ovchinnikov, V. V.** Atomic distribution in ternary Ni–Fe–Al alloys with B2 lattice 2, 176
**Lobodyuk, V. A., Tkachuk, V. K.** and **Khandros, L. G.** $\omega$-Phase formation in copper–aluminium–nickel alloys 4, 178
**Loguntsev, Ye. N., Nalesnik, V. M., Klimachev, V. N., Kovalev, I. N.** and **Kissil', A. Ye.** Investigation of the dislocation structure of niobium after tensile testing at a low rate under conditions of reaction irradiation 6, 165
**Luk'yanova, G. P.** *See* **Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** 3, 19
**Luzhinskaya, M. G.** and **Shur, Ya. S.** On the direction of magnetization in domains of interaction 2, 45
**Lyasotskiy, I. V.** *See* **D'yakonova, N. B.** and **Lyasotskiy, I. V.** 2, 89
**Lykov, Ye. L.** *See* **Starodubtsev, Yu. N., Lykov, Ye. L.** and **Druzhinin, V. V.** 1, 30
**Lysenko, A. B.** *See* **Tkach, V. I., Bashev, V. F., Lysenko, A. B.** and **Miroshnichenko, I. S.** 1, 181
**Lyubarskiy, I. M.** *See* **Verkin, B. I., Grinberg, N. M., Lyubarskiy, I. M., Pustovalov, V. V.** and **Yakovenko, L. F.** 6, 151
**Lyubov, B. Ya.** *See* **Kudinov, G. M., Lyubov, B. Ya.** and **Shmakov, V. A,** 6, 104

**Magat, L. M.** and **Khrabrov, V. I.** Crystal geometry of cast high-coercivity alloy Sm $(Co_{0·65}Cu_{0·35})_{5·6}$ 6, 178
**Magat, L. M.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** 5, 17
**Makarov, A. I.** *See* **Novikov, V. F., Makarov, A. I., Nevzorova, E. G.** and **Shcherbakov, E. L.** 6, 55

**Makarov, V. A.** *See* **Kozlova, O. S.** and **Makarov, V. A.** 5, 63
**Makarova, G. M.** *See* **Glazer, A. A., Potapov, A. P., Serikov, V. V., Tagirov, R. I., Teytel', Ye. I., Makarova, G. M.** and **Kleynerman, N. M.** 6, 33
**Makarova, G. M.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** 5, 17
**Makeychik, A. I.** *See* **Gitsu, D. V., Makeychik, A. I., Muntyanu, F. M.** and **Onu, M. I.** 3, 186
**Makhev, Ye. S.** *See* **Anisimova, L. I., Makhev, Ye. S.** and **Popov, A. A.** 1, 115
**Malkov, V. V.** *See* **Pokrovskiy, A. S., Kazakov, V. A., Smirnov, A. V.** and **Malkov, V. V.** 4, 135
**Malova, R. P.** *See* **Ikonnikov, V. I., Usikov, M. P., Utevskiy, L. M.** and **Malova, R. P.** 3, 66
**Malyshev, K. A.** *See* **Noskova, N. I.** and **Malyshev, K. A.** 4, 172
**Malyshev, K. A.** *See* **Zemtsova, N. D., Malyshev, K. A.** and **Starchenko, Ye. I.** 2, 128
**Malyuk, T. I.** and **Krysov, V. I.** Peculiarities of collective recrystallization kinetics of copper in the range 520–970°C 5, 159
**Marchenko, V. A.** *See* **Skripov, A. V., Stepanov, A. P.** and **Marchenko, V. A.** 6, 173
**Markin, V. Ya., Savin, V. I.** and **Chernikov, A. S.** Influence of hydrogen on the magnetic and electrical properties of yttrium 4, 196
**Masterova, M. V.** *See* **Kartavenko, V. Ye., Likhachev, V. A.** and **Masterova, M. V.** 2, 161
**Matveyev, Yu. A., Grebennikov, V. I.** and **Sokolov, O. B.** Many-particle effects in the PES spectra of inner levels of metals and semiconductors 1, 64
**Maykov, V. G.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M. Magat, L. M. Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** 5, 17
**Mazur, V. I.** Peculiarities of the crystallization of eutectic phases in silumin 5, 73
**Medvedchikov, V. P.** *See* **Kondorskiy, Ye. I., Kostina, T. I., Medvedchikov, V. P.** and **Kuskova, Yu. A.** 6, 27
**Mil'man, Yu. V.** *See* **Ivashchenko, R. K., Mil'man, Yu. V.** and **Shchepanskiy, Ye. S.** 1, 129
**Mil'man, Yu. V., Rachek, A. P., Kurdyumov, G. G., Abalikhin, A. V.** and **Freze, N. I.** The problem of 45 degree embrittlement of low-alloy sheet molybdenum 2, 69
**Miroshnichenko, I. S.** *See* **Tkach, V. I., Bashev, V. F., Lysenko, A. B.** and **Miroshnichenko, I. S.** 1, 183
**Mirsayev, I. F.** and **Taluts, G. G.** Three-frequency interactions of spin and elastic waves in a cubic ferromagnet 1, 17
**Mkrtchyan, V. S.** *See* **Ayvasov, M. I., Aleksandrovich, S. V., Yevseyev, B. A., Mkrtchyan, V. S.** and **Sorokin, V. N.** 1, 174
**M. Liu Fa-Ch'ung** *See* **Telesnin, R. V., Zavartsev, Yu. D., Letova, T. N., M. Liu Fa-Ch'ung, Sarayeva, I. M.** and **Shpin'kov, N. I.** 2, 184
**Mogutnov, B. M.** *See* **Shaposhnikov, N. G., Mogutnov, B. M.** and **Yedneral, A. F.** 2, 48
**Moiseyev, A. N., Polyakov, Ye. V., Usikov, M. P.** and **Estrin, E. I.** $\alpha$ Phase structure of iron and iron–nickel alloys after polymorphic transformation under pressure 5, 77
**Mokrov, A. P.** *See* **Golubev, V. G., Zakharov, P. N.** and **Mokrov, A. P.** 1, 192
**Morozov, O. P., Shteynberg, M. M.** and **Kuznetsov, V. Yu.** Features of the $\gamma \rightarrow \alpha$ transition in the critical range of the intermediate transformation in steels based on Fe+3% Cr 1, 99
**Muntyanu, F. M.** *See* **Gitsu, D. V., Makeychik, A. I., Muntyanu, F. M.** and **Onu, M. I.** 3, 186
**Myshlyayev, M. M., Khodos, I. I., Sen'kov, O. N.** and **Romanov, Yu. A.** Features of the dislocation structure of block boundaries in b.c.c. single crystals 1, 121
**Myshlyayev, M. M.** *See* **Kuz'min, S. L., Likhachev, V. A., Myshlyayev, M. M., Nikonov, Yu. A.** and **Sen'kov, O. N.** 1, 160

**Nalesnik, V. M.** *See* **Loguntsev, Ye. N., Nalesnik, V. M., Klimachev, V. N., Kovalev, I. N.** and **Kissil', A. Ye.** 6, 165
**Narkulov, N. N.** *See* **Vasil'yeva, R. P., Narkulov, N. N., Fadin, V. P.** and **Arkhipov, Yu. N.** 3, 192
**Natanson, A. Ya.** Interrelation of stresses with the strains of single-phase polycrystals measured by X-ray procedures 3, 128
**Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** On the nature of the shear instability of Hume–Rothery electron compounds of the $\beta$ brass type. I. Pseudopotential calculation of elastic shear constants in $\beta$ brass as a function of composition 4, 19
**Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** Pseudopotential calculation of the phonon spectrum in $\beta$ brass as a function of the composition and degree of long-range order 2, 1
**Naysh, V. Ye.** and **Syromyatnikov, V. N.** Symmetrical analysis of magnetic structures. The single representation concept 6, 10
**Nazhalov, A. I.** *See* **Yegorushkin, V. Ye., Kul'ment'yev, A. I., Nazhalov, A. I.** and **Fadin, V. P.** 2, 188
**Neganov, L. M.** *See* **Dobrovol'skaya, T. L., Neganov, L. M., Titov, P. V.** and **Khandros, L. G.** 4, 110
**Nemirovskiy, Yu. R.** *See* **Potekhin, B. A., Tyutyukov, S. A., Nemirovskiy, Yu. R.** and **Pashkov, Yu. I.** 1, 150
**Nemnonov, S. A.** *See* **Kurmayev, E. Z., Dolgikh, V. Ye., Yarmoshenko, Yu. M.** and **Nemnonov, S. A.** 6, 155
**Nesterova, Ye. V., Rybin, V. V.** and **Obukhovskiy, V. V.** Peculiarities of the plate structure of low-alloy pseudoalpha titanium alloys 3, 94
**Neverov, V. I., Pimenov, V. N.** and **Gurov, K. P.** Mutual diffusion in an $\alpha$ solid solution of aluminium in iron 2, 98
**Nevzorova, E. G.** *See* **Novikov, V. F., Makarov, A. I., Nevzorova, E. G.** and **Shcherbakov, E. L.** 6, 55
**Nikiforov, I. Ya.** and **Stern, E. W.** Electron energy spectrum of disordered substitutional Al–Cu alloys in mean $t$-matrix approximation 4, 1
**Nikolayev, V. V.** *See* **Dichenko, A. B.** and **Nikolayev, V. V.** 6, 41
**Nikol'skiy, G. S.,** *See* **Bokshteyn, B. S., Klinger, L. M., Nikol'skiy, G. S., Fradkov, V. Ye.** and **Shivndlerman, L. S.** 6, 75
**Nikonov, Yu. A.** *See* **Kuz'min, S. L., Likhachev, V. A., Myshlyayev, M. M., Nikonov, Yu. A.** and **Sen'kov, O. N.** 1, 160
**Nizhnik, S. B.** and **Dmitriyeva, Ye. A.** On the mutual influence of phases on structure changes in an austenite-martensite steel during plastic deformation 5, 38
**Noskova, N. I.** and **Dolgopolov, V. I.** Screw dislocations and microtwinning in vanadium and its solid solutions 5, 94
**Noskova, N. I.** and **Malyshev, K. A.** The influence of stacking faults on the formation of deformation martensite 4, 172
**Noskova, N. I.** *See* **Vil'danova, N. F., Gaydukov, M. G., Noskova, N. I.** and **Pavlov, V. A.** 1, 146
**Novikov, V. F., Dolgikh, Ye. V., Ul'yanov, A. I.** and **Deryagin, A. V.** Magnetoelastic properties of compound $ThFe_2$ 5, 169
**Novikov, V. F., Makarov, A. I., Nevzorova, E. G.** and **Shcherbakov, E. L.** On the magnetoelastic properties of plastically deformed iron and steels 6, 55

**Novikov, V. V.** *See* **Vaynblat, Yu. M., Novikov, V. V.** and **Konoplenko, V. P.** 4, 140
**Novikova, I. G.** and **Startsev, V. I.** Topographic X-ray study of plastically deformed single crystals of aluminium 4, 150

**Obukhovskiy, V. V.** *See* **Nesterova, Ye. V., Rybin, V. V.** and **Obukhovskiy, V. V.** 3, 94
**Oleksiyenko, M. M.** *See* **Somov, A. I., Tikhonovskiy, M. A., Oleksiyenko, M. M.** and **Golovin, V. N.** 2, 76
**Olesov, V. N.** *See* **Smirnov, L. V., Fokina, Ye. A.** and **Olesov, V. N.** 5, 167
**Onopriyenko, L. G.** *See* **Solov'yev, M. M.** and **Onopriyenko, L. G.** 4, 85
**Onu, M. I.** *See* **Gitsu, D. V., Makeychik, A. I., Mentyanu, F. M.** and **Onu, M. I.** 3, 186
**Orekhov, N. G.** *See* **Abakumova, V. D., Bokshteyn, S. Z., Orekhov, N. G., Razumovskiy, I. M.** and **Solov'yeva, G. G.** 6, 148
**Ovchinnikov, V. V.** *See* **Dorofeyev, G. A., Ovchinnikov, V. V., Segal, V. M.** and **Shestakova, G. A.** 3, 189
**Ovchinnikov, V. V.** *See* **Litvinov, V. S., Dorofeyev, G. A.** and **Ovchinnikov, V. V.** 2, 176

**Pal'-Val', P. P.** Influence of high-amplitude ultrasonic vibrations on low-temperature dislocation internal friction in antimony 1, 142
**Panin, V. Ye.** *See* **Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** 2, 1
**Panin, V. Ye.** *See* **Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** 4, 19
**Papina, N. V.** *See* **Vaynshteyn, A. A., Rusinov, P. S.** and **Papina, N. V.** 5, 49
**Parkhomenko, T. A.** Temperature dependence of the yield point of silver single crystals in the range 2–300 K 6, 142
**Pashkov, P. P.** *See* **Fridman, A. A.** and **Pashkov, P. P.** 5, 173
**Pashkov, Yu. I.** *See* **Petekhin, B. A., Tyutyukov, S. A., Nemirovskiy, Yu. R.** and **Pashkov, Yu. I.** 1, 150
**Pastukhova, Zh. P.** *See* **Vasil'yev, V. R., Glezer, A. M., Zakharov, Ye. K., Pastukhova, Zh. P.** and **Rakhshtadt, A. G.** 1, 92
**Patrakov, Ye. I.** *See* **Smirnov, M. A. Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ye. I.** 4, 121
**Patsera, R. F.** *See* **Chernyakova, L. Ye., Patseka, R. F., Vorontsov, N. M., Shugayenko, V. K.** and **Drapiko, P. Ye.** 3, 105
**Pavlov, V. A.** *See* **Vil'danova, N. F. Gaydukov, M. G., Noskova, N. I.** and **Pavlov, V. A.** 1, 146
**Perekos, A. Ye.** *See* **Kokorin, V. V.** and **Perekos, A. Ye.** 4. 64
**Perepelkin, A. V., Sarzhan, G. F., Firstov, S. A.** and **Kurdyumova, G. G.** Investigation of the mechanism of deformation and rupture of the two-phase chromium–nickel alloy VKh4 3, 116
**Petrenko, E. D.** *See* **Bukharov, M. V., Kolachevskaya, V. V., Kochalevskiy, N. N., Petrenko, E. D.** and **Puzey, I. M.** 5, 164
**Petrov, Yu. N.** *See* **Adeyev, V. M.** and **Petrov, Yu. N.** 6, 128
**Petrov, Yu. N.** *See* **Grikurov, G. N., Petrov, Yu. N.** and **Ryzhkov, Yu. T.** 3, 179
**Philips, A. H.** *See* **Lebedev, V. P., Khotkevich, V. I., Krylovskiy, V. S.** and **Philips, A. H.** 5, 188
**Pimenov, V. N.** *See* **Khlomov, V. S., Ugaste, Yu. E., Pimenov, V. N.** and **Gurov, K. P.** 5, 58
**Pimenov, V. N.** *See* **Neverov, V. I., Pimenov, V. N.** and **Gurov, K. P.** 2, 98

**Pislar', I. G.** *See* **Deryabin, A. V., Pislar', I. G.** and **Chirkov, Yu. A.** 2, 192
**Pletenetskiy, G. Ye., Koshkarev, G. S.** and **Tikhinskiy, G. F.** Influence of the size factor on the electrical conductivity of beryllium at 77 K 4, 192
**Pogorelyy, A. N.** and **Kayushin, V. Ya.** Nuclear magnetic resonance in thin films of terbium and gadolinium–terbium alloys 2, 190
**Pogorelyy, A. N., Lesnik, N. A.** and **Kharitonskiy, S. Ya.** Nuclear magnetic resonance in films of dilute $^{57}$Fe–based alloys 5, 200
**Pogosyan, Ya. M.** and **Shkaryan, G. G.** A new principle of the passage of domains through a ferromagnetic channel 2, 181
**Pokrovskiy, A. S.** *See* **Kazakov, V. S., Pokrovskiy, A. S.** and **Smirnov, A. V.** 5, 118
**Pokrovskiy, A. S., Kazakov, V. A., Smirnov, A. V.** and **Malkov, V. V.** Porosity and mechanical properties of alloy Mn–Zr–B after high-temperature neutron irradiation. I. Features of void formation 4, 135
**Poleva, V. V.** *See* **Arkhangel'skaya, A. A., Litvinov, V. S.** and **Poleva, V. V.** 6, 115
**Polotnik, V. V.** *See* **Dobrovol'skaya, T. L., Yefimova, T. V., Polotnik, V. V. Titov, P. V.** and **Khandros, L. G.** 6, 169
**Polyakov, V. V.** *See* **Shchegolev, Ye. A.** and **Polyakov, V. V.** 1, 171
**Polyakov, Ye. V.** *See* **Moiseyev, A. N., Polyakov, Ye. V., Usikov, N. P.** and **Estrin, E. I.** 5, 77
**Polyakova, V. P.** *See* **Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** 3, 19
**Ponomarenko, I. T.** *See* **Komnick, S. N., Ponomarenko, I. T.** and **Startsev, V. I.** 3, 145
**Ponyatovskiy, Ye. G.** *See* **Antonov, V. Ye., Belash, I. T., Ponyatovskiy, Ye. G.** and **Rashchupkin, V. I.** 1, 60
**Popov, A. A.** *See* **Anisimova, L. I., Makhev, Ye. S.** and **Popov, A. A.** 1, 115
**Popov, A. G.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** 5, 17
**Popov, L. Ye.** *See* **Pudan, L. Ya., Yakimenko, A. I.** and **Popov, L. Ye.** 2, 142
**Posyado, V. P., Grachev, M. L., Andrianov, D. G.** and **Chuprikov, G. Ye.** Thermal expansion of terbium–gadolinium alloys 1, 186
**Potapov, A. P.** *See* **Glazer, A. A., Potapov, A. P., Serikov, V. V., Tagirov, R. I., Teytel', Ye. I., Makarova, G. M.** and **Kleynerman, N. M.** 6, 33
**Potekhin, B. A.** Contribution of the martensitic transformation during deformation to the plasticity of metastable austenitic steels 5, 142
**Potekhin, B. A.** Peculiarities of the deformation of cylindrical specimens of metastable austenitic steels in tension 5, 136
**Potekhin, B. A., Tyutyukov, S. A., Nemirovskiy, Yu. R.** and **Pashkov, Yu. I.** Production, stability and influence of austenite on the mechanical properties of transition class steels 1, 150
**Potemkin, V. V.** *See* **Gorokhov, Yu. V.** and **Potemkin, V. V.** 2, 178
**Poyda, V. P.** *See* **Zhukov, N. N., Kuznetsova, R. I.** and **Poyda, V. P.** 6, 138
**Prasova, T. I.** *See* **Starodubtsev, Yu. N., Druzhina, V. V., Segal', V, M., Gustomesov, V. A., Sokhina, Ye. I.** and **Prasova, T. I.** 1, 164
**Pravdin, L. S.** *See* **Vlasov, K. B.** and **Pravdin, L. S.** 4, 101
**Predvoditelyev, A. A.** *See* **Bushuyeva, G. V., Issa, Kh. M.** and **Predvoditelyev, A. A.** 4, 130
**Predvoditel'yev, A. A.** *See* **Bushuyeva, G. V., Predvoditel'yev, A. A., Frolova, R. D.** and **Scharf, W.** 3, 167

**Pudan, L. Ya., Yakimenko, A. I.** and **Popov, L. Ye.** Resistance to superdislocation motion due to atoms in irregular positions **3,** 142
**Pushin, V. G.** *See* **Romanova, R. R., Baranovskiy, A. N., Pushin, V. G.** and **Buynov, N. N.** **3,** 109
**Pustovalov, V. V.** *See* **Verkin, B. I., Grinberg, N. M., Lyubarskiy, I. M., Pustovalov, V. V.** and **Yakovenko, L. F.** **6,** 151
**Puzanova, T. Z.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** **5,** 17
**Puzey, I. M.** *See* **Bukharov, M. V., Kolachevskaya, V. V., Kochalevskiy, N. N., Petrenko, E. D.** and **Puzey, I. M.** **5,** 164
**Pyatiletov, Yu. S.** Dose dependence of radiation creep and swelling of metals **5,** 186
**Pyatiletov, Yu. S.** *See* **Ibragimov, Sh. Sh.** and **Pyatiletov, Yu. S.** **5,** 124

**Rachek, A. P.** *See* **Mil'man, Yu. V., Rachek, A. P., Kurdyumov, G. G., Abalikhin, A. V.** and **Freze, N. I.** **2,** 69
**Radovskiy, I. Z.** *See* **Singer, V. V., Dovgopol, S. P., Krokhin, A. L., Radovskiy, I. Z.** and **Gel'd, P. V.** **4,** 51
**Rakhshtadt, A. G.** *See* **Vasil'yev, V. R., Glezer, A. M., Zakharov, Ye. K., Pastukhova, Zh. P.** and **Rakhshtadt, A. G.** **1,** 92
**Rashchupkin, V. I.** *See* **Antonov, V. Ye., Belash, I. T., Ponyatovskiy, Ye. G.** and **Rashchupkin, V. I.** **1,** 60
**Razumovskiy, I. M.** *See* **Abakumova, V. D., Bokshteyn, S. Z., Orekhov, N. G., Razumovskiy, I. M.** and **Solov'yeva, G. G.** **6,** 148
**Repiy, V. A.** *See* **Yastrebov, A. A., Repiy, V. A.** and **Ivakin, Yu. P.** **6,** 167
**Rinkevich, O. S.** *See* **Zel'dovich, V. I.** and **Rinkevich, O. S.** **3,** 73
**Rodionov, Yu. L., Isfandiyarov, G. G.** and **Sarsenbin, O. S.** Ordering of iron–nickel alloys **5,** 67
**Rodnikov, V. A.** *See* **Yankovskiy, V. M.** and **Rodnikov, V. A.** **5,** 156
**Romanov, Ye. P.** *See* **Kozhanov, V. N., Romanov, Ye. P., Verkhovskiy, S. V.** and **Stepanov, A. P.** **6,** 108
**Romanov, Yu. A.** *See* **Myshlyayev, M. M., Khodos, I. I., Sen'kov, O. N.** and **Romanov, Yu. A.** **1,** 121
**Romanova, R. R., Baranovskiy, A. N., Pushin, V. G.** and **Buynov, N. N.** Influence of plastic deformation on structure transformations and mechanical properties of Al–Zn–Mg alloy **3,** 109
**Rozenfel'd, Ye. V.** *See* **Yermolenko, A. S.** and **Rozenfel'd, Ye. V.** **3,** 44
**Rubina, Ye. B.** *See* **Ageyev, N. V., Rubina, Ye. B., Babareka, A. A., Betsofen, S. Ya.** and **Bunin, L. A.** **3,** 121
**Rudchenko, V. V.** and **Dudarev, Ye. F.** Microplastic deformation and amplitude dependence of the internal friction of single crystals of metals and solid solutions **6,** 175
**Rudchenko, V. V., Dudarev, Ye. F., Yu Kong Hsui** and **Glazyrina, M. I.** Amplitude dependence of internal friction of polycrystals of metals and alloys **1,** 134
**Rusinov, P. S.** *See* **Vaynshteyn, A. A., Rusinov, P. S.** and **Papina, N. V.** **5,** 49
**Rustanov, Sh. A.** *See* **Dekhtyar, I. Ya., Adonkin, V. T., Rustanov, Sh. A., Dekhtyar, M. I.** and **Sedov, Yu. A.** **2,** 54
**Rybin, V. V. Nesterova, Ye. V., Rybin, V. V.** and **Obukhovskiy, V. V.** **3,** 94
**Ryzhkov, Yu. T.** *See* **Grikurov, G. N., Petrov, Yu. N.** and **Ryzhkov, Yu. T.** **3,** 179



VOI
48
197

**Sabirov, R. Kh.** Positron-phonon interaction via conduction electrons in metals **5,** 191
**Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I.** and **Syutkin, P. N.** Electron diffraction investigation of short-range order in alloy NiPt **4,** 167
**Salita, O. P.** *See* **Lavrent'yev, F. F., Salita, O. P.** and **Shutyayev, P. D.** **5,** 108
**Sarayeva, I. M.** *See* **Telesnin, R. V., Zavartsev, Yu. D., Letova, T. N., M. Liu Fa-Ch'ung, Sarayeva, I. M.** and **Shpin'kov, N. I.** **2,** 184
**Sarrak, V. I., Filippov, G. A., Chevskaya, O. N.** and **Litvinenko, D. A.** Adsorption of phosphorus on austenite grain boundaries and tendency of quenched steel to delayed rupture **6,** 120
**Sarrak, V. I.** *See* **Zabil'skiy, V. V., Sarrak, V. I.** and **Suvorova, S. O.** **2,** 81
**Sarry, M. F.** *See* **Gandel'man, G. M., Dmitriyev, N. A., Zhitnik, A. K.** and **Sarry, M. F.** **2,** 9
**Sarsenbin, O. S.** *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Sarsenbin, O. S.** **5,** 67
**Sarzhan, G. F.** *See* **Perepelkin, A. V., Sarzhan, G. F., Firstov, S. A.** and **Kurdyumova, G. G.** **3,** 116
**Savel'yev, A. M.** *See* **Finkel', V. M., Korolev, A. P., Savel'yev, A. M.** and **Fedorov, V. A.** **2,** 165
**Savin, V. I.** *See* **Markin, V. Ya., Savin, V. I.** and **Chernikov, A. S.** **4,** 196
**Savitskiy, Ye. M.** *See* **Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** **3,** 19
**Scharf, W.** *See* **Bushuyeva, G. V., Predvoditel'yev, A. A., Frolova, R. D.** and **Scharf, W.** **3,** 167
**Schastlivtsev, V. M.** *See* **Smirnov, M. A., Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ye. I.** **4,** 121
**Sedov, Yu. A.** *See* **Dekhtyar, I. Ya., Adonkin, V. T., Rustamov, Sh. A., Dekhtyar, M. I.** and **Sedov, Yu. A.** **2,** 54
**Segal, V. M.** *See* **Dorofeyev, G. A., Ovchinnikov, V. V., Segal, V. M.** and **Shestakova, G. A.** **3,** 189
**Segal', V. M.** *See* **Starodubtsev, Yu. N., Druzhinin, V. V., Segal', V. M., Gustomesov, V. A., Sokhina, Ye. I.** and **Prasova, T. I.** **1,** 164
**Semenovskikh, V. M.** *See* **Kondratov, V. M., Semenovskikh, V. M.** and **Skvortsov, A. I.** **6,** 63
**Sen'kov, O. N.** *See* **Kuz'min, S. L., Likhachev, V. A., Myshlyayev, M. M., Nikonov, Yu. A.** and **Sen'kov, O. N.** **1,** 160
**Sen'kov, O. N.** *See* **Myshlyayev, M. M., Khodos, I. I., Sen'kov, O. N.** and **Romanov, Yu. A.** **1,** 121
**Seregin, G. V., Ivanov, Yu. F.** and **Sukhovarov, V. F.** Structure formation during annealing of deformed alloys in which an ordered $Ni_3Al$ phase is precipitated during ageing **6,** 95
**Serikov, V. V.** *See* **Glazer, A. A., Potapov, A. P., Serikov, V. V., Tagirov, R. I., Teytel', Ye. I., Makarova, G. M.** and **Kleynerman, N. M.** **6,** 33
**Shabalin, A. N., Gladkov, V. P., Gruzin, P. L.** and **Svetlov, A. V.** Diffusion of beryllium in titanium **3,** 182
**Shabalin, A. N.** *See* **Gladkov, V. P., Svetlov, A. V., Skorov, D. M.** and **Shabalin, A. N.** **4,** 170
**Shakaryan, G. G.** *See* **Pogosyan, Ya. M.** and **Shakaryan, G. G.** **2,** 181
**Shaposhnikov, N. G., Mogutnov, B. M.** and **Yedneral, A. F.** Influence of cobalt on the solubility of Laves phase $Fe_2Mo$ in maraging steel **2,** 48
**Sharkeyev, Yu. P.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** **3,** 138
**Shchegolev, Ye. A.** and **Polyakov, V. V.** Calculation of equations of state of metals **1,** 171
**Shchepanskiy, Ye. S.** *See* **Ivashchenko, R. K., Mil'man, Yu. V.** and **Shchepanskiy, Ye. S.** **1,** 129
**Shcherbak, V. I.** Radiation damage in neutron irradiated molybdenum of different degrees of purity **6,** 133

**Shcherbakov, E. L.** *See* **Novikov, V. F., Makarov, A. I., Nevzorova, E. G.** and **Shcherbakov, E. L.** **6,** 55
**Shcherbakov, V. P.** On the molecular field distribution function in systems with randomly distributed centres of interaction **6,** 7
**Shcherbakova, Ye. V.** *See* **Yermolenko, A. S.** and **Shcherbakova, Ye. V.** **2,** 39
**Shemyakin, V. N., Klyushin, V. V.** and **Baynova, G. D.** Transformation of a weld of a circonium alloy with 2·5% niobium during annealing after cycles of heat tratment **5,** 175
**Shermergor, T. D.** *See* **Tumanova, L. A.** and **Shermergor, T. D.** **3,** 172
**Shestakova, G. A.** *See* **Dorofeyev, G. A., Ovchinnikov, V. V., Segal, V. M.** and **Shestakova, G. A.** **3,** 189
**Shestakova, G. M.** *See* **Koroleva, L. I., Tovmasyan, L. N., Shestakova, G. M., Kalinnikov, V. T.** and **Babitsyna, A. A.** **1,** 167
**Shirokovskiy, V. P.** *See* **Veprev, A. G.** and **Shirokovskiy, V. P.** **1,** 11
**Shirokovskiy, V. P.** *See* **Vol'f, G. V.** and **Shirokovskiy, V. P.** **6,** 1
**Shishkov, A. G.** *See* **Andreyev, A. K., Domin, V. A.** and **Shishkov, A. G.** **1,** 177
**Shmakov, V. A.** *See* **Kudinov, G. M., Lyubov, B. Ya.** and **Shmakov, V. A.** **6,** 104
**Shmatov, V. T.** *See* **Borisov, A. B.** and **Shmatov, V. T.** **6,** 21
**Shpin'kov, N. I.** *See* **Telesnin, R. V., Zavartsev, Yu. D., Letova, T. N., M. Liu Fa-Ch'ung, Sarayeva, I. M.** and **Shpin'kov, N. I.** **2,** 184
**Shteynberg, M. M.** *See* **Morozov, O. P., Shteynberg, M. M.** and **Kuznetsov, V. Yu.** **1,** 99
**Shteynberg, M. M.** *See* **Smirnov, M. A., Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ya. I.** **4,** 121
**Shubin, V. V.** *See* **Katayev, G. I.** and **Shubin, V. V.** **1,** 155
**Shugayenko, V. K.** *See* **Chernyakova, L. Ye., Patseka, R. F., Vorontsov, N. M., Shugayenko, V. K.** and **Drapiko, P. Ye.** **3,** 105
**Shur, Ya. S.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** **5,** 17
**Shur, Ya. S.** *See* **Luzhinskaya, M. G.** and **Shur, Ya. S.** **2,** 45
**Shutyayev, P. D.** *See* **Lavrent'yev, F. F., Salita, O. P.** and **Shutyayev, P. D.** **5,** 108
**Shivndlerman, L. S.** *See* **Bokshteyn, B. S., Klinger, L. M., Nikol'skiy, G. S., Fradkov, V. Ye.** and **Shvindlerman, L. S.** **6,** 75
**Shvindlerman, L. S.** *See* **Fradkov, V. Ye.** and **Shvindlerman, L. S.** **2,** 59
**Sidorenko, F. A.** *See* **Ignatenko, Yu. G., Sidorenko, F. A., Gel'd, P. V., Kuranov, A. A.** and **Bashkatov, A. N.** **4,** 184
**Sidorenko, F. A.** *See* **Karpov, Yu. G., Sidorenko, F. A., Slobodenyuk, V. V., Syutkin, P. N.** and **Kuranov, A. A.** **3,** 38
**Sidorov, S. K.** *See* **Dubinin, S. F., Vokhmyanin, A. P., Kelarev, V. V.** and **Sidorov, S. K.** **4,** 76
**Sikorov, V. N.** and **Degtyareva, V. F.** Phase transformation in Ti–Nb alloys exposed to shock waves **1,** 181
**Silin, V. P.** *See* **Zverev, V. M.** and **Silin, V. P.** **1,** 1
**Singer, V. V., Dovgopol, S. P., Krokhin, A. L., Radovskiy, I. Z.** and **Gel'd, P. V.** High-temperature magnetic susceptibility and electron structure of iron, cobalt and nickel alloys **4,** 51
**Skorov, D. M.** *See* **Balankin, S. A., Gorbachev, L. P., Grigor'yev, Ye. G.** and **Skorov, D. M.** **3,** 157
**Skorov, D. M.** *See* **Gladkov, V. P., Svetlov, A. V., Skorov, D. M.** and **Shabalin, A. N.** **4,** 170

**Skripov, A. V., Stepanov, A. P.** and **Marchenko, V. A.** Features of nuclear magnetic resonance and relaxation near the structure transition point of $V_3Si$ **6,** 175
**Skvortsov, A. I.** *See* **Kondratov, V. M., Semenovskikh, V. M.** and **Skvortsov, A. I.** **6,** 61
**Slobodenyuk, V. V.** *See* **Karpov, Yu. G., Sidorenko, F. A., Slobodenyuk, V. V., Syutkin, P. N.** and **Kuranov, A. A.** **3,** 38
**Smirnov, A. V.** *See* **Kazakov, V. S., Pokrovskiy, A. S.** and **Smirnov, A. V.** **5,** 118
**Smirnov, A. V.** *See* **Pokrovskiy, A. S., Kazakov, V. A., Smirnov, A. V.** and **Malkov, V. V.** **4,** 135
**Smirnov, L. V., Fokina, Ye. A.** and **Olesov, V. N.** Influence of a magnetic field on the transformation of retained austenite in a case-hardened steel **5,** 167
**Smirnov, M. A., Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ye. I.** Influence of high-temperature deformation on the structure and properties of isothermally quenched steel **4,** 121
**Smirnova, N. L.** *See* **Berzon, E. M., Smirnova, N. L., Kurazhkovskaya, V. S., Konyayev, Yu. S.** and **Belov, N. V.** **3,** 5
**Sokhina, Ye. I.** *See* **Starodubtsev, Yu. N., Druzhinin, V. V., Segal', V. M., Gustomesov, V. A., Sokhina, Ye. I.** and **Prasova, T. I.** **1,** 164
**Sokolov, E. K.** *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Tiunov, V. F., Sokolov, B. K.** and **Gubernatorov, V. V.** **3,** 57
**Sokolov, O. B.** *See* **Matveyev, Yu. A., Grebennikov, V. I.** and **Sokolov, O. B.** **1,** 64
**Sokolov, Yu. V.** *See* **Tofpenets, R. L., Vasil'yeva, L. A.** and **Sokolov, Yu. V.** **3,** 90
**Solodinin, A. M.** *See* **Andriyevskiy, R. A., Boyko, Ye. B.** and **Solodinin, A. M.** **2,** 103
**Solov'yev, M. M.** Magnetization process of ferromagnetic particles with a small number of stripe domains **1,** 45
**Solov'yev, M. M.** and **Onopriyenko, L. G.** Domain structure and critical size on fine, magnetically equiaxial, ferromangetic particles **4,** 85
**Solov'eyv, V. A.** *See* **Kulenin, A. V., Solov'yev, V. A., Zambrzhitskiy, V. N.** and **Zhiryakov, V. V.** **1,** 110
**Solov'yev, V. V.** On the kinetics of anisotropic nucleation **5,** 34
**Solov'yeva, G. G.** *See* **Abakumova, V. D., Bokshteyn, S. Z., Orekhov, N. G., Razumovskiy, I. M.** and **Solov'yeva, G. G.** **6,** 148
**Somov, A. I., Tikhonovskiy, M. A., Oleksiyenko, M. M.** and **Golovin, V. N.** Influence of composition and conditions of crystallization on the microstructure and strength of a eutectic Ni–NbC composite **2,** 76
**Sorokin, V. N.** *See* **Ayvasov, M. I., Aleksandrovich, S. V., Yevseyev, B. A., Mkrtchyan, V. S.** and **Sorokin, V. N.** **1,** 174
**Sorokina, T. A.** *See* **Yermakov, A. Ye., Sorokina, T. A. Tsurin, V. A., Lebedev, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** **6,** 47
**Spasskiy, M. N.** *See* **Eterashvili, T. V., Utevskiy, L. M.** and **Spasskiy, M. N.** **4,** 113
**Starchenko, Ye. I.** *See* **Zemtsova, N. D., Malyshev, K. A.** and **Starchenko, Ye. I.** **2,** 128
**Starenchenko, S. V.** *See* **Kozlov, E. V.** and **Starenchenko, E. V.** **6,** 82
**Starenchenko, V. A.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** **3,** 138
**Starodubov, Ya. D.** *See* **Gindin, I. A., Starodubov, Ya. D., Starolat, M. P.** and **Khaymovich, P. A.** **5,** 89
**Starodubtsev, Yu. N.** and **Dragoshanskiy, Yu. N.** On the relation between the type of domain structure and dimensions of crystals of Fe–3% Si **5,** 26

**Vasil'yeva, R. P., Akayev, A.** and **Arkhipov, Yu. N.** Thermomagnetic and thermoelectric properties of iron–nickel invars **1,** 188
**Vasil'yeva, R. P., Arkhipov, Yu. N., Kurbaniyazov, N. N.** and **Babayev, Kh. G.** Transfer phenomena in cobalt–palladium alloys **1,** 26
**Vasil'yeva, R. P., Narkulov, N. N., Fadin, V. P.** and **Arkhipov, Yu. N.** Concerning the temperature anomalies of the resistivity of transition metal alloys **3,** 192
**Vaynblat, Yu. M., Novikov, V. V.** and **Konoplenko, V. P.** Substructure of hot deformed molybdenum, and its influence on heat resistance **4,** 140
**Vaynshteyn, A. A., Rusinov, P. S.** and **Papina, N. V.** The heterogeneous properties of polycrystals with an axial texture **5,** 49
**Veprev, A. G.** and **Shirokovskiy, V. P.** Fermi surface, thermal and optical masses in vanadium **1,** 11
**Verkhovskiy, S. V.** *See* **Kozhanov, V. N., Romanov, Ye. P., Verkhovskiy, S. V.** and **Stepanov, A. P.** **6,** 108
**Verkin, B. I., Grinberg, N. M., Lyubarskiy, I. M., Pustovalov, V. V.** and **Yakovenko, L. F.** Endurance of a superconductive composite in the mixed state **6,** 151
**Vil'danova, N. F., Gaydukov, M. G., Noskova, N. I.** and **Pavlov, V. A.** Influence of ultrasonic exposure during step ageing on creep of cast alloy AL27 **1,** 146
**Vladimirov, A. B., Kaygorodov, V. N., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** Volume diffusion of "silver" impurities in nickel **2,** 107
**Vladimirov, A. B., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** Volume diffusion of arsenic in nickel **5,** 193
**Vladimirov, V. I., Kusov, A. A.** and **Gorobey, N. N.** Microstructural plastic instability of impurity crystals **2,** 154
**Vladimirov, V. P.** *See* **Borodkina, N. M., Brashevan, G. A.** and **Vladimirov, V. P.** **6,** 159
**Vlasov, K. B.** and **Pravdin, L. S.** Reversible and initial irreversible magnetoelastic and magnetostriction effects **4,** 101
**Vokhmyanin, A. P.** *See* **Dubinin, S. F., Vokhmyanin, A. P., Kelarev, V. V.** and **Sidorov, S. K.** **4,** 76
**Vol'f, G. V.** and **Shirokovskiy, V. P.** Energy band structure and density of states of titanium and vanadium monoxides **6,** 1
**Volchok, O. I.** *See* **Gindin, I. A., Volchok, O. I.** and **Aksenov, V. K.** **3,** 161
**Volkenshteyn, N. V.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** **4,** 91
**Vorontsov, N. M.** *See* **Chernyakova, L. Ye., Patseka, R. F., Vorontsov, N. M., Shugayenko, V. K.** and **Drapiko, P. Ye.** **3,** 105

**Yakimenko, A. I.** *See* **Pudan, L. Ya., Yakimenko, A. I.** and **Popov, L. Ye.** **2,** 142
**Yakovenko, L. F.** *See* **Verkin, B. I., Grinberg, N. M., Lyubarskiy, I. M., Pustovalov, V. V.** and **Yakovenko, L. F.** **6,** 151
**Yakovleva, I. L.** *See* **Smirnov, M. A., Shteynberg, M. M., Schastlivtsev, V. M., Filatov, V. I., Yakovleva, I. L.** and **Patrakov, Ye. I.** **4,** 121
**Yankovskiy, V. M.** and **Rodnikov, V. A.** On interphase precipitates in a quenched low-carbon steel **5,** 156
**Yarmoshenko, Yu. M.** *See* **Kurmayev, E. Z., Dolgikh, V. Ye., Yermoshenko, Yu. M.** and **Nemnonov, S. A.** **6,** 155

**Yashnikov, V. P.** *See* **Gnesin, B. A., Karpov, M. I., Fedyayeva, L. G.** and **Yashnikov, V. P.** 6, 88
**Yastrebkov, A. A., Repiy, V. A.** and **Ivakin, Yu. P.** A study of the impact toughness of niobium bicrystals 6, 167
**Yatsenko, S. P., Zhakupov, Sh. R.** and **Chuntonov, K. A.** Magnetic susceptibility and electrical conductivity of sodium alloys with gallium 5, 22
**Yavor, A. A.** and **Chebotarev, V. A.** Peculiarities of the low-temperature creep of layer composites 3, 152
**Yedneral, A. F.** *See* **Shaposhnikov, N. G., Mogutnov, B. M.** and **Yedneral, A. F.** 2, 48
**Yefimova, T. V.** *See* **Dobrovol'skaya, T. L., Yefimova, T. V., Polotnik, V. V., Titov, P. V.** and **Khandros, L. G.** 6, 169
**Yegorushkin, V. Ye., Kul'ment'yev, A. I., Nazhalov, A. I.** and **Fadin, V. P.** A new method of calculating the electron structure of alloys with long- and short-range order 2, 188
**Yelenskiy, V. A.** *See* **Startsev, V. Ye., Cherepanov, A. N., Dyakina, V. P., Volkenshteyn, N. V., Kovtun, G. P., Yelenskiy, V. A.** and **Azhazha, V. M.** 4, 91
**Yelokhina, L. V.** *See* **Khrabrov, V. I., Puzanova, T. Z., Shur, Ya. S., Makarova, G. M., Magat, L. M., Popov, A. G., Maykov, V. G.** and **Yelokhina, L. V.** 5, 17
**Yermakov, A. Ye., Sorokina, T. A., Tsurin, V. A., Lebedev, Yu. G., Filipov, B. N., Ilyushchenko, N. G.** and **Chernov, Ya. B.** Influence of plastic deformation on structure features and magnetic properties of alloy FePt 6, 47
**Yermolenko, A. S.** and **Rozenfel'd, Ye. V.** Anisotropy of spontaneous magnetization of some compounds of rare-earth and 3*d* transition metals 3, 44
**Yermolenko, A. S.** and **Shcherbakova, Ye. V.** Magnetic properties of quasibinary rare-earth compounds $Sm_{1-x}R_xCo_5$ (R = Y, La, Ce, Nd) 2, 39
**Yesina, N. K.** *See* **Zaykova, V. A., Yesina, N. K., Dragoshanskiy, Yu. N., Tiunov, V. F., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 57
**Yesipenko, V. F.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Yesipenko, V. F., Sharkeyev, Yu. P., Korotayev, A. D.** and **Kozlov, E. V.** 3, 138
**Yevseyev, B. A.** *See* **Ayvasov, M. I., Aleksandrovich, S. V., Yevseyev, B. A., Mkrtchyan, V. S.** and **Sorokin, V. N.** 1, 174
**Yu Kong Hsui** *See* **Rudchenko, V. V., Dudarev, Ye. F., Yu Kong Hsui** and **Glazyrina, M. I.** 1, 134

**Zabil'skiy, V. V., Sarrak, V. I.** and **Suvorova, S. O.** On the role of relaxation processes in the volume changes of steel during tempering 2, 81
**Zakharov, P. N.** *See* **Golubev, V. G., Zakharov, P. N.** and **Mokrov, A. P.** 1, 192
**Zakharov, Ye. K.** *See* **Vasil'yev, V. R., Glezer, A. M., Zakharov, Ye. K., Pastukhova, Zh. P.** and **Rakhshtadt, A. G.** 1, 92
**Zakharova, I. N.** *See* **Kondorskiy, Ye. I., Galkina, O. S., Cheremushkina, A. V.** and **Zakharova, I. N.** 5, 196
**Zambrzitskiy, V. N.** *See* **Kulenin, A. V., Solov'yev, V. A., Zambrzitskiy, V. N.** and **Zhiryakov, V. V.** 1, 110
**Zavartsev, Yu. D.** *See* **Telesnin, R. V., Zavartsev, Yu. D., Letova, T. N., M. Liu Fa-Ch'ung, Sarayeva, I. M.** and **Shpin'kov, N. I.** 2, 184
**Zaykova, V. A., Yesina, N. K., Dragozhanskiy, Yu. N., Tiunov, V. F., Sokolov, B. K.** and **Gubernatorov, V. V.** Orientation and structure dependencies of the electromagnetic losses of locally deformed single crystals of Fe–3% Si 3, 57
**Zel'dovich, V. I.** and **Rinkevich, O. S.** Variation of structure and composition during

the $\alpha \rightarrow \gamma$ transformation in alloy Fe–23·1% Ni. II. Influence of plastic deformation of martensite **3,** 73
**Zemtsova, N. D., Malyshev, K. A.** and **Starchenko, Ye. I.** Cellular decomposition in undeformed metastable Fe–Ni–Ti alloys **2,** 128
**Zhakupov, Sh. R.** *See* **Yatsenko, S. P., Zhakupov, Sh. R.** and **Chuntonov, K. A.** **5,** 22
**Zhiryakov, V. V.** *See* **Kulenin, A. V., Solov'yev, V. A., Zambrzhitskiy, V. N.** and **Zhiryakov, V. V.** **1,** 110
**Zhitnik, A. K.** *See* **Gandel'man, G. M., Dmitriyev, N. A., Zhitnik, A. K.** and **Sarry, M. F.** **2,** 9
**Zhorovkov, M. F.** *See* **Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** **2,** 1
**Zhorovkov, M. F.** *See* **Naumov, I. I., Panin, V. Ye.** and **Zhorovkov, M. F.** **4,** 19
**Zhukov, N. N., Kuznetsova, R. I.** and **Poyda, V. P.** Superplasticity of Al–Ge alloys **6,** 138
**Zil'berman, L. A.** Influence of plastic deformation on the Köster peak **5,** 112
**Zinenkova, G. M.** *See* **Tyapunina, N. A., Zinenkova, G. M., Gasparyan, S. V.** and **Atta, A.** **5,** 100
**Zinov'yev, V. Ye.** *See* **Chupina, L. I., Zinov'yev, V. Ye., Polyakova, V. P., Luk'yanova, G. P., Savitskiy, Ye. M.** and **Gel'd, P. V.** **3,** 19
**Zverev, V. M.** and **Silin, V. P.** On the theory of impedance of a conductive ferromagnet **1,** 1

VOI
48
197